

Machine configuration: A4101658

	Key	Description
Homologationtype	40E3	40E3
machine no.	A4101658	A4101658
machine no.	A4101658	A4101658
	Unit type	Serial number
Gearbox	TMG 25 : 2099.0	000000000003508294
Cabine	K07	X-50000809-4115028
Motor	FPT 179KW	001373384
Rearaxle	GPA44	F267551
Frontaxle	445933	44593301000124
Transmission	GTA4244	10026168
Equipment		
TJ_102_8829	600/70 R30 Trelleborg TM1000 - IF / fixed rim	
TJ_102_8829	600/70 R30 Trelleborg TM1000 - IF / fixed rim	
TJ_103_0649	710/70 R42 Trelleborg TM900 High Power / fixed rim	
TJ_103_0649	710/70 R42 Trelleborg TM900 High Power / fixed rim	
TJ_105_5023	5023_21458690/4244	
TJ_350_0001	0001_Avec axe remorquage	
TJ_430_0002	0002_fr Hyd ou PN av PAV frein	
TJ_443_0001	0001_Supp. Stab GPA41/42/44	
TJ_800_0002	0002_Pièces pour ponts CARRARO	
TJ_810_0003	0003_Obturateur N4 PT Suspendu	
TJ_B02_0020	Front weight carrier 200 kg (CEBIS)	
TJ_B04_0000	Without linkage-mounted weight block	
TJ_B06_0000	Without front PTO (without front linkage)	
TJ_B08_0100	Without front linkage (CEBIS)	
TJ_I02_0040	CEBIS control terminal	
TJ_I04_0041	CMATIC	
TJ_I08_0250	Alternator 250 amp/hour	
TJ_I10_0001	Not ISOBUS-ready (front linkage)	
TJ_I14_0020	Wiring loom, complete	
TJ_I22_0040	TELEMATICS ready	
TJ_I24_0000	Without SAT 900 GNSS receiver	
TJ_I25_0010	CLAAS communication module EU	
TJ_I26_0050	TELEMATICS basic licence – 1 year	
TJ_I28_0000	Without terminal	
TJ_J02_0050	ELC with radar sensor & wheel slip control	
TJ_J04_0312	Lower links, rear linkage, cat. 3 hook	
TJ_J06_0200	Lower link stabilisers, mechanical	
TJ_J08_0031	Top link, cat. 3 with ball end	
TJ_J10_1010	Pick-up hitch, hydraulic push out	
TJ_J14_0000	Without drawbar	
TJ_J16_0000	Without clevis	
TJ_J18_0040	Ball set, cat. 3/3	
TJ_J42_0000	Without air brakes	
TJ_J44_0020	Hydraulic trailer brakes	

Equipment

TJ_J46_0000	Without ABS connection for trailer
TJ_K02_0150	LS hydraulic system, variable displacement pump 150 l/min
TJ_K04_2050	5 spool valves, electrohydraulic proportional
TJ_K10_0000	Without front hydraulic outlets (without front linkage)
TJ_K12_0030	Power Beyond, load-sensing connections with flat face couplers
TJ_N02_0040	CMATIC continuously variable transmission
TJ_N04_0100	Not GPS-ready, transmission ratio 50 km/h
TJ_N06_0520	Front axle, PROACTIV, with brakes
TJ_N08_0012	Rear axle, standard
TJ_N10_0040	PTO 540 ECO + 1000/1000 ECO rpm
TJ_N14_0010	PTO stub, 6 splines and 21 splines, 1 3/8"
TJ_N20_0010	Parking brake on REVERSHIFT lever
TJ_N22_0361	Front mudguards, pivoting, 620 mm
TJ_N34_0000	Without rear wheel weights
TJ_P02_0412	225 hp rated output, 235 hp max. output, ECE R 120
TJ_P04_0020	Diesel pre-filter
TJ_P06_0030	Battery master switch, electronic
TJ_P08_0020	White diesel
TJ_P10_0012	Cold-start kit down to -30°C
TJ_P12_0010	Diesel pre-filter, heated
TJ_P14_0010	Exhaust pipe, standard
TJ_P16_0400	Without air compressor
TJ_P22_0010	Engine brake
TJ_Q02_0010	Cab with 4-point suspension
TJ_Q04_0011	Roof, without roof hatch
TJ_Q06_0010	Rear window
TJ_Q08_0040	Rear wiper, with right-hand wiper
TJ_Q14_0042	Electric mirror, with wide-angle mirror
TJ_Q18_0021	Mudguard extensions to 2.55 m external width (CEBIS)
TJ_Q20_0010	Screen mounting rail
TJ_Q21_0070	Tool box
TJ_Q22_0010	Removable storage box, left
TJ_Q30_0020	Additional interface sockets
TJ_Q40_0000	Without alternative headlights
TJ_Q50_0000	Without fittings for wide load lighting
TJ_Q56_0010	4x halogen road lights, 2x halogen work lights, bonnet
TJ_Q58_0040	Halogen work lights: 6x roof, front and 6x roof, rear
TJ_Q60_0010	Work lights, halogen: 2x front, 2x rear, 2x steps
TJ_R00_0000	Colour, CLAAS Green
TJ_R04_0091	Driver's seat, active suspension - heated and cooled
TJ_R06_0020	Passenger seat with safety belt
TJ_R08_0020	Automatic climate control
TJ_R10_0010	Without radio
TJ_R14_0010	Cigarette lighter
TJ_R16_0010	Steering wheel, standard
TJ_S02_0001	Safety sticker, standard
TJ_S04_0010	Right-hand drive
TJ_S06_0030	2x rotating beacons
TJ_S08_0001	Equipment - European Union

Equipment

TJ_T02_0010
A41/300

Truck transport
AXION 830 C-MATIC