


Kranutstyr



Jibb

Montert på hovedbommen for rask løfting
av mindre last i enkel / dobbel part.



Hovedbom, motvekt
46,0 t

Utlegg [m]	Bomlengder [m]			
	36	42	48	54
9,0	100,0			
10,0	88,0	84,1		
11,0	79,0	77,9	69,6	
12,0	72,0	71,7	65,8	57,8
13,0	66,3	66,1	62,1	55,2
14,0	61,3	61,1	58,3	52,6
15,0	56,4	56,1	54,5	50,0
16,0	51,6	51,3	50,9	47,4
17,0	47,5	47,2	46,8	44,8
18,0	43,9	43,6	43,2	42,4
19,0	40,8	40,5	40,1	39,6
20,0	38,1	37,7	37,4	37,0
22,0	33,5	33,1	32,7	32,3
24,0	29,7	29,4	29,0	28,6
26,0	26,7	26,3	25,9	25,4
28,0	24,1	23,7	23,3	22,8
30,0	21,8	21,5	21,0	20,6
32,0	19,9	19,5	19,1	18,7
34,0		17,9	17,5	17,0
36,0		16,4	16,0	15,5
38,0		15,1	14,7	14,2
40,0			13,5	13,1
42,0			12,5	12,0
44,0				11,1
46,0				10,2
48,0				9,4
50,0				

TAB.-Nr. 6180M-75/4500/46.0/09.1

Jibb 15°,
motvekt 46 t

Utlegg [m]	Bomlengder [m]			
	36	42	48	54
9,0				
10,0	28,0			
11,0	28,0			
12,0	28,0	28,0		
13,0	28,0	28,0	28,0	
14,0	28,0	28,0	28,0	28,0
15,0	28,0	28,0	28,0	28,0
16,0	28,0	28,0	28,0	28,0
17,0	28,0	28,0	28,0	28,0
18,0	28,0	28,0	28,0	28,0
19,0	28,0	28,0	28,0	28,0
20,0	28,0	28,0	28,0	28,0
21,0	28,0	28,0	28,0	28,0
22,0	28,0	28,0	28,0	28,0
23,0	28,0	28,0	28,0	28,0
24,0	28,0	28,0	28,0	28,0
25,0	28,0	27,7	27,3	26,9
26,0	26,5	26,1	25,7	25,3
27,0	25,1	24,7	24,3	23,8
28,0	23,7	23,3	22,9	22,5
29,0	22,5	22,1	21,7	21,3
30,0	21,4	21,0	20,6	20,1
31,0	20,3	20,0	19,5	19,1
32,0	19,4	19,0	18,6	18,1
33,0	18,5	18,1	17,6	17,2
34,0	17,6	17,2	16,8	16,3
35,0	16,8	16,4	16,0	15,5
36,0	16,1	15,7	15,2	14,8
37,0	15,3	14,9	14,5	14,1
38,0		14,3	13,8	13,4
39,0		13,6	13,2	12,8
40,0		13,0	12,6	12,2
41,0		12,5	12,0	11,6
42,0		11,9	11,5	11,1
43,0		11,4	10,5	10,5
44,0			10,0	10,0
45,0			9,6	9,6
46,0			9,2	9,1
47,0			8,7	8,7
48,0				8,3
49,0				7,9
50,0				7,5
51,0				7,2
52,0				6,8
53,0				6,5

TAB.-Nr. 6180M-75/4500/46.0/10.9 S 615

Jibb 30°,
motvekt 46 t

Utlegg [m]	Bomlengder [m]			
	36	42	48	54
9,0				
10,0	28,0			
11,0	28,0			
12,0	28,0	28,0		
13,0	28,0	28,0	28,0	
14,0	28,0	28,0	28,0	28,0
15,0	28,0	28,0	28,0	28,0
16,0	28,0	28,0	28,0	28,0
17,0	28,0	28,0	28,0	28,0
18,0	28,0	28,0	28,0	28,0
19,0	28,0	28,0	28,0	28,0
20,0	28,0	28,0	28,0	28,0
21,0	28,0	28,0	28,0	28,0
22,0	28,0	28,0	28,0	28,0
23,0	28,0	28,0	28,0	28,0
24,0	28,0	28,0	27,6	28,0
25,0	28,0	27,9	26,0	27,2
26,0	26,7	26,4	24,5	25,6
27,0	25,2	24,9	23,2	24,1
28,0	23,9	23,6	21,9	22,8
29,0	22,7	22,3	20,8	21,6
30,0	21,5	21,2	19,7	20,4
31,0	20,5	20,1	18,7	19,3
32,0	19,5	19,1	17,8	18,3
33,0	18,6	18,2	16,9	17,4
34,0	17,7	17,3	16,1	16,5
35,0	16,9	16,5	15,4	15,7
36,0	16,1	15,8	14,6	15,0
37,0	15,4	15,0	14,0	14,2
38,0		14,4	13,3	13,5
39,0		13,7	12,7	12,9
40,0		13,1	12,1	12,3
41,0		12,5	11,6	11,7
42,0		12,0	11,1	11,2
43,0		11,4	10,6	10,6
44,0			10,1	10,1
45,0			9,6	9,7
46,0			9,2	9,2
47,0			8,8	8,8
48,0				8,4
49,0				8,0
50,0				7,6
51,0				7,2
52,0				6,9
53,0				6,5

TAB.-Nr. 6180M-75/4500/46.0/10.9 S 630