


ⓑ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - советоваться




Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности



14,6	m
2000	Kg

13,7	14,1	14,6	m
4000	3866	3700	Kg



18,25	20	22	24	26	28	30	32	m
2000	1788	1590	1428	1293	1180	1083	1000	Kg

10,5	12	14	16	18	18,25	20	22	24	26	28	30	32	m
4000	3357	2743	2309	1987	1950	1738	1540	1378	1243	1130	1033	950	Kg

19,75	20	22	24	26	28	30	m
2000	1970	1753	1576	1430	1305	1200	Kg

11,3	12	14	16	18	19,75	20	22	24	26	28	30	m
4000	3691	3019	2545	2192	1950	1920	1703	1526	1380	1255	1150	Kg

20,65	22,7	24,7	26,7	27,7	m
2000	1783	1609	1464	1400	Kg

11,75	12,7	14,7	16,7	18,7	20,65	22,7	24,7	26,7	27,7	m
4000	3615	2994	2546	2208	1950	1733	1559	1414	1350	Kg

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

10Hp / 14,75Hp
(7,5Kw / 11Kw)
HBG 22,5m Ø10mm

Türnp / 14,75hp (7,5Kw / 11Kw) HBG 22,5m Ø10mm							
	m/min	5	20,5	40	2,5	10,25	20
	Kg	2000	2000	1000	4000	4000	2000
	Kw	7,5					
	m/min	5	32	52	2,5	16	26
	Kg	2000	2000	1000	4000	4000	2000
	Kw	11					
	m/min	19		45	19		45
	Kg	2000		2000	4000		2000
	Kw	2,2					
	r.p.m	0,25	0,5	0,8	0,25	0,5	0,8
	N.m.	30					
	Kw	4					

-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Distribución / Trolleying / Katzfahren / Distribution / Distributions
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Montaje / Erection / Montage / Montage / Montaggio

10Hp (7,5Kw) - INV

 2000/14/CEE 2005/88/CEE	 2006/95 /CEE	400V(± 10) 50Hz I _{max} .= 24A Fuse= 25A 480V (±10) 60Hz I _{max} .= 21A Fuse= 24A	TOTAL POWER 15 KVA	GENERATOR 25 KVA	100m 4x6mm ²	150m 4x10mm ²	200m 4x10mm ²
---	--	--	--------------------------	---------------------	----------------------------	-----------------------------	-----------------------------

14,75Hp (11Kw) - INV


 2000/14/CEE 2005/88/CEE	 2006/95 /CEE	400V(± 10) 50Hz I _{max} .= 26A Fuse= 27A 480V (±10) 60Hz I _{max} .= 24A Fuse= 25A	TOTAL POWER 16 KVA	GENERATOR 25 KVA	100m 4x6mm ²	150m 4x10mm ²	200m 4x10mm ²
---	--	--	--------------------------	---------------------	----------------------------	-----------------------------	-----------------------------

OPTIONAL (7,5Kw)


4Hp (3,5Kw) - INV

 2000/14/CEE 2005/88/CEE	 2006/95 /CEE	230V(± 10) 50Hz I _{max} .= 16A Fuse= 20A	TOTAL POWER 20KVA	GENERATOR 25 KVA	100m 4x6mm ²	150m 4x10mm ²	200m 4x10mm ²
---	--	---	-------------------------	---------------------	----------------------------	-----------------------------	-----------------------------


Dimensiones y transporte - dimensions and transport - Abmessungen und Transport- dimensions et des transporte - dimensioni e trasporti - Размеры и транспорта



H-32	12010kg
Weight ballast	2x2650kg
Front axle	440kg
Rear axle	346kg
P	18096kg




H-32	12010kg
Weight ballast	2x2650kg
Front axle	750kg
Rear axle	800kg
P	18860kg




1 X GONDOLA 0,7m

H-32	12010kg
Weight ballast	5300kg
P	15700kg
	30000kg




1 X MEGA TRAILER

H-32	12010kg
Weight ballast	5300kg
P	17310kg




1 X STANDARD TRAILER

Weight ballast	15700kg
10km/h	755kg
25km/h	1550kg
P	18005kg



1 X OPEN TOP 40'

H-32 Tower	8310 kg
Weight ballast	6280 kg
10km/h	755kg
25km/h	1550kg
P	16895kg



1 X HIGH CUBE 40'

H-32 JIB	3700kg
Weight ballast	14720kg
P	18420kg