Machine configuration:A7602204

	Key	Name
Homologationtype	7464	7464
machine no.	A7602204	A7602204
machine no.	A7602204	A7602204

		Serial number
Gearbox	GBA25	K032316
Cabine	K07	50000689-0102190599
Motor	MOT A76 BUNK 60	CD6068U081044
Rearaxle	GPA23	K031528
Frontaxle	PONT AVANT SUSP	SB-ITA-303380
Transmission	GTA2523	10851850

Type/Subtype	
A76	ARION 650-610 St4 HEXA
TD_102_52F2	480/65 R28 Mitas AC65 / fixed rim
TD_102_52F2	480/65 R28 Mitas AC65 / fixed rim
TD_103_70Y1	600/65 R38 Michelin Multibib / fixed rim
TD_103_70Y1	600/65 R38 Michelin Multibib / fixed rim
TD_105_3759	3759_21488720/2523
TD_301_0001	0001_Sans prise ISOBUS AV
TD_513_0002	0002_C.ram et DEH Arr
TD_514_0003	0003_A.pilot ou D.Dy Pt M30/40
TD_522_0000	0000_Sans Faisceau 522/0010
TD_523_0001	0001_frein. pneu sauf 151KW
TD_529_0001	0001_cabine 4pot sans EV lat
TD_533_0002	0002_CIS avec pont av suspendu
TD_547_0002	0002_Rel Av avec DEHAr ss PPav
TD_549_0002	0002_Rel Av ss Ct Pos-Pont Sus
TD_561_0003	0003_FH w/o front EHD
TD_567_0003	0003_Pdf av N3
TD_569_0001	0001_Circul. Droite Halo
TD_577_0002	0002_Sans pré-eq.chargeur N3
TD_579_0020	0020_Electropilot N3
TD_585_0002	0002_Terminal + rail
TD_591_0002	0002_NON compatibles avec char
TD_621_0011	0011_Sans OSI+GPSready
TD_623_0010	0010_GPS ready St + ss OSI
TD_631_0001	0001_Plate tail lights CIS
TD_B02_0150	CLAAS front linkage 3.0 t incl. vibration damping
TD_B04_0000	Without linkage-mounted weight block
TD_B06_0020	Front PTO 1000 rpm
TD_B08_0100	Without electronic position control
TD_B10_0000	Without pre-equipment for front loader
TD_B12_0022	Side rails for engine and transmission for front linkage
TD_B14_0110	External front linkage operation
TD_I02_0036	CIS+ with colour display
TD_I04_0022	24/24 gear HEXASHIFT with HEXACTIV
TD_I10_0010	ISOBUS-enabled, rear
TD_I18_0000	Without job management
TD_I22_0050	AUTO PILOT module
TD_I24_0100	RTK NET correction signal
TD_I25_0011	CLAAS communication module (3G)
TD_I26_0000	Without TELEMATICS
TD_I28_0030	S10 terminal

Machine configuration:A7602204

Type/Subtype	
TD_I32_0201	ELECTROPILOT
TD_I38_0000	Without video function in CEBIS
TD_I40_0005	Standard steering interface
TD_J02_0040	Standard ELC (electronic linkage control)
TD_J04_0040	Lower links, cat. 3 with hook
TD_J06_0200	Lower link stabilisers, mechanical
TD_J08_0132	Mechanical top link, cat. 3 hook
TD_J10_1023	Pick-up hitch, hydraulic push out
TD_J12_0020	Rear linkage, increased lift capacity
TD_J14_0000	Without drawbar
TD_J16_0000	Without rear clevis
TD_J18_0030	Ball set, cat. 3/3
TD_J40_0132	Hydraulic brakes and air brakes (2 lines)
TD_K02_0010	Load-sensing hydraulics 110 l/min
TD_K04_0210	3x spool valves, electrohydraulic proportional (CIS+)
TD_K10_0011	2 front hydraulic outlets / 1 free flow return line
TD_K12_0020	Power Beyond, load-sensing connections without flat face couplers
TD_N02_0013	Transmission without creeper range
TD_N04_0070	Transmission ratio 50 km/h
TD_N06_0340	PROACTIV front axle with wet multi-disc brakes
TD_N08_0120	Rear axle, standard, 275 mm
TD_N10_0003	PTO 540/540 ECO + 1000/1000 ECO rpm
TD_N14_0010	PTO stubs, 21 splines and 6 splines, 1 3/8"
TD_N20_0000	Without parking brake on REVERSHIFT lever
TD_N22_0252	Front mudguards, pivoting, 520 mm
TD_N26_0011	Without wheel spacers for rear axle (flanged axle)
TD_N34_0000	Without rear wheel weights
TD_N36_0000	Without rear wheel adapter
TD_N38_0030	SMART STOP + cruise control management
TD_N46_0341	Steering angle sensor for braked PROACTIV front axle
TD_P02_0250	165 hp max. output, 156 hp type-approved rated output, ECE R 120
TD_P04_0020	Diesel pre-filter (water separator)
TD_P06_0030	Battery master switch, electronic
TD_P08_0010	Red diesel
TD_P10_0010	Cold start kit down to -30°C
TD_P14_0010	Exhaust pipe, standard
TD_P18_0014	Fuel tank 285 l
TD_Q02_0012	4-pillar cab with 4-point suspension
TD_Q04_0013	Roof, without roof hatch
TD_Q06_0012	Rear window for 4-pillar cab
TD_Q08_0010	Rear window wiper
TD_Q14_0020	Electric mirror, with wide-angle mirror
TD_Q18_0032	Mudguard extensions, ext. width 2.75 m, wheel diameter < 1.93 m
TD_Q20_0042	2x terminal bars, roof liner and right-hand side window
TD_Q22_0010	Removable storage box, left
TD_Q30_0020	Additional interface sockets
TD_Q40_0030	2x high-level headlights, A-pillar
TD_Q50_0000	Without fittings for wide load lighting
TD_Q56_0010	4x halogen road lights, 2x halogen work lights, bonnet
TD_Q58_0030	LED work lights – Plus
TD_Q60_0010	Work lights, halogen: 2x turn indicator holder, 2x rear mudguards
TD_R00_0001	Colour, CLAAS Green
TD_R02_0020	CIS +
TD_R04_0120	Comfort seat, fabric, air suspension, swivelling

Machine configuration:A7602204

Type/Subtype	
TD_R08_0010	Air conditioning
TD_R10_0020	MP3 radio, USB and SD
TD_R14_0010	Cigarette lighter
TD_R16_0010	Steering wheel, standard
TD_R20_0000	Without dynamic steering
TD_S01_0150	Sticker 50 km/h
TD_S02_0001	Standard sticker
TD_S04_0010	Right-hand drive
TD_S06_0021	Rotating beacon, left
TD_S08_0001	Equipment - European Union
TD_S10_0000	Without registration plate holder, front
TD_S12_0010	Wheel chock
TD_S14_0000	Without pre-installed fittings, first aid
TD_S16_0010	Prepared for fire-extinguisher
TD_S20_0000	Without tablet holder fittings
TD_S22_0010	EU identification plate
TD_T02_0010	Truck transport
A76/200	ARION 630 St4 HEXA