

Machine configuration: A5104320

	Key	Description
Homologationtype	606T	606T
machine no.	A5104320	A5104320
machine no.	A5104320	A5104320

	Unit type	Serial number
	TMG 28 2099-631	000000000007539414
Motor		002113259
Rearaxle	GPA45	P265561
Transmission	GTA4245	12030978

Equipment

TJ_102_3942	600/70 R30 Mitas SFT / fixed rim / wide track width
TJ_102_3942	600/70 R30 Mitas SFT / fixed rim / wide track width
TJ_103_0642	710/70 R42 Mitas SFT / fixed rim
TJ_103_0642	710/70 R42 Mitas SFT / fixed rim
TJ_105_8339	TJ_105_8339
TJ_119_2023	TJ_119_2023
TJ_323_0010	0010_ss cam + feux Ail AR LED
TJ_327_0020	0020_caméra + N4
TJ_350_0000	0000_sans axe (1 sur rel)
TJ_351_0001	0001_Relevage Av et/ou Cr Ram
TJ_430_0003	0003_avec fr PN + PAV sans fr
TJ_433_0012	0012_Valve 4roues+mono péd. MR
TJ_443_0002	0002_Supp. Stab GPA45
TJ_505_0001	0001_Tuyau DIR+FR Ret HYD (EU)
TJ_507_0005	0005_Direction+DEH (EU)
TJ_520_0006	0006_DEH AV GPA45
TJ_537_0040	0040_Rel.Av&D.EH.Ar &DEH
TJ_557_0030	0030_Electropilot N4
TJ_569_0001	0001_Circul. Droite Halo
TJ_585_0004	TJ_585_0004

Equipment

TJ_587_0002	0002_obturateur N4
TJ_597_0001	0001_Grille standard EU
TJ_607_0001	TJ_607_0001
TJ_609_0020	0020_Rel.Av & CEBIS
TJ_619_0010	0010_RAV+Ss Ctrl de position
TJ_635_0020	0020_CCM+sans toit ouvr.opaque
TJ_651_0010	0010_AUTO PILOT+Pt Avt Std
TJ_653_0010	TJ_653_0010
TJ_709_0020	0020_Accoudoir N4 - avec RAV
TJ_713_0030	0030_Switch N4
TJ_715_0001	0001_Ss Ctrl Pos-Obturateur N4
TJ_810_0003	0003_Obturateur N4 PT Suspendu
TJ_820_0001	0001_Pt FR av Mono Pédale
TJ_901_0020	0020_FAM & Contacteur
TJ_921_0001	0001_couvercle tissu
TJ_923_0002	0002_Fixation GRAMMER
TJ_931_0010	0010_Pnt Av susp/susp Frein EU
TJ_935_0010	0010_Pnt Av susp Frein EU
TJ_937_0010	0010_RAV + EU
TJ_939_0010	0010_RAV + EU
TJ_941_0010	0010_PDF AV + EU
TJ_B02_0156	CLAAS front linkage 5.8 t
TJ_B03_0022	External operation for front linkage and front spool valve
TJ_B04_0000	Without linkage-mounted weight block
TJ_B06_0015	Front PTO 1000 rpm (fitted)
TJ_B08_0103	Without electronic position control
TJ_I02_0041	CEBIS terminal with touchscreen
TJ_I04_0042	CMATIC with 2 engine speed memories + CSM, CEBIS
TJ_I08_0250	Alternator 250 amp/hour
TJ_I10_0011	ISOBUS-ready with ISO rear socket
TJ_I18_0010	Activation of Task Control Basic on the tractor
TJ_I20_0000	Without CEMOS

Equipment

TJ_I22_0110	AUTO PILOT / GPS PILOT-ready
TJ_I24_0200	SAT 900 GNSS receiver
TJ_I25_0161	CLAAS communication module (LTE)
TJ_I28_0100	CEMIS 1200 terminal
TJ_I29_0190	CLAAS Remote Service for 5 years
TJ_I29_0210	ISOBUS activation for CEBIS
TJ_I29_0220	Connected documentation licence – 1 year
TJ_I29_0300	GPS PILOT activation – SAT 900 GNSS receiver
TJ_I32_0201	ELECTROPILOT
TJ_I36_0010	Machine connect licence – 5 years
TJ_I38_0015	Activ. of CEBIS video funct.+ CPC in-cab connection for 2 cameras
TJ_I40_0030	Steering interface-ready
TJ_J02_0040	Standard ELC (electronic linkage control)
TJ_J04_0312	Lower links, rear linkage, cat. 3 hook
TJ_J06_0200	Lower link stabilisers, mechanical
TJ_J08_0265	Mechanical top link, cat. 3 hook
TJ_J10_1010	Pick-up hitch, hydraulic push out
TJ_J14_0010	Drawbar for pick-up hitch
TJ_J16_0000	Without clevis
TJ_J18_0070	Ball set cat. 3/3 + 3/2
TJ_J42_0023	Air brakes (2 lines), with air drier
TJ_J44_0030	Hydraulic brakes for air brakes
TJ_J46_0000	Without ABS connection for trailer
TJ_J48_0010	Single pedal
TJ_K02_0205	LS hydraulic system, variable displacement pump 205 l/min
TJ_K04_2140	4 + 2 spool valves, electrohydraulic proportional
TJ_K10_0050	Mid-mount valves - 1x front linkage and 1x pair front couplings
TJ_K12_0020	Power Beyond, load-sensing connections without flat face couplers
TJ_N02_0040	CMATIC continuously variable transmission
TJ_N04_0250	Transmission ratio 50 km/h
TJ_N06_0521	PROACTIV front axle with brakes
TJ_N08_0014	Rear axle, standard

Equipment

TJ_N10_0120	PTO 540/540 ECO + 1000 rpm
TJ_N14_0010	PTO stub, 6 splines and 21 splines, 1 3/8"
TJ_N20_0010	Parking brake on REVERSHIFT lever
TJ_N22_0361	Front mudguards, pivoting, 620 mm
TJ_N26_0000	Without spacer rings, rear axle
TJ_N28_0000	Without tyre pressure adjustment system
TJ_N34_0000	Without rear wheel weights
TJ_N36_0000	Standard flange
TJ_N38_0001	Standard transmission management.
TJ_P02_0513	264 hp max. output, 261 hp type-approved rated output, ECE R 120
TJ_P04_0030	Large diesel pre-filter
TJ_P06_0040	Battery master switch, automatic, electronic
TJ_P08_0030	Winter diesel, down to -38°C
TJ_P10_0012	Cold-start kit down to -30°C
TJ_P12_0020	Large diesel pre-filter, heated
TJ_P14_0010	Exhaust pipe, standard
TJ_P16_0402	Air compressor
TJ_P22_0010	Engine brake
TJ_Q02_0010	Cab with 4-point suspension
TJ_Q04_0011	Roof, without roof hatch
TJ_Q06_0010	Rear window
TJ_Q08_0040	Rear wiper, with right-hand wiper
TJ_Q14_0062	Electric mirror, with wide-angle mirror
TJ_Q18_0080	Lateral mudguard extensions, rear mudguard, external width 2.75 m
TJ_Q20_0032	Terminal bar, roof liner
TJ_Q21_0070	Tool box
TJ_Q22_0010	Removable storage box, left
TJ_Q30_0020	Additional interface sockets
TJ_Q40_0030	2 high-level headlights, A-pillar
TJ_Q50_0060	Extra-wide rear lights, LED with warning signs
TJ_Q56_0010	4x halogen road lights, 2x halogen work lights, bonnet
TJ_Q58_0022	LED work lights – Basic

Equipment

TJ_Q60_0028	LED work lights – Basic
TJ_R00_0000	Colour, CLAAS Green
TJ_R02_0300	CEBIS
TJ_R04_0176	Comfort seat, fabric, semi-active long./horiz. suspension
TJ_R06_0020	Passenger seat with safety belt
TJ_R08_0030	Automatic climate control, Cat. 3 ready
TJ_R10_0060	MP3 radio with Bluetooth, USB, SD, ext. mic and hands-free system
TJ_R14_0010	Cigarette lighter
TJ_R16_0020	Steering wheel, leather
TJ_R20_0000	Without dynamic steering
TJ_S02_0001	Safety sticker, standard
TJ_S04_0012	Right-hand drive
TJ_S06_0040	2x rotating beacons, LED
TJ_S08_0001	Equipment - European Union
TJ_S10_0010	Front number plate holder
TJ_S12_0000	Without wheel chocks
TJ_S14_0000	Without first aid kit
TJ_S16_0000	Without pre-installed fittings for fire-extinguisher
TJ_S20_0000	Without tablet holder
TJ_S22_0010	Identification plate, EU
TJ_T02_0010	Truck transport
A51/505	AXION 850