



Gorilla

crush

screen

recycle

Fully Manufactured in Ireland. Gorilla Ireland specialise in providing robust and affordable machines to the Recycling Industry



Simple to
Operate



Powerful
Engine



Very Low
Maintenance



Range of
Screens



Safety
Features



Easy to
Transport

Deck Screen Range

The Gorilla AD130 and TD230 are compact, heavy duty wheeled and tracked mobile screening systems fully manufactured in Ireland. Using simple, but effective screening technology they will turn your waste material into profitable, reusable material.

Designed to Operate on and off site with no special permissions needed to transport these units anywhere in the world. Save on transport and waste material costs!



General Specifications

Power Unit

GORILLA AD130 (Wheeled)

YANMAR 19KW (25.4HP) Diesel Engine.

Motors

GORILLA TD230 (Tracked)

YANMAR 19KW (25.4HP) Diesel Engine.

Screen Unit

EATON Motors for Conveyor & Tracks

Deck Size

Double Deck with loading pan

Double Deck 3m x 1.2m (10' x 4')

Mesh

Double Deck 3m x 1.2m (10' x 4')

Side Tensioned top mesh and end tensioned bottom mesh

Conveyor Width

Side Tensioned top mesh and end tensioned bottom mesh

1050mm (3' 5") Fines Conveyor

Loading Height

1050mm (3' 5") Fines Conveyor

2340mm (7' 7")

Discharge Height

500mm (20") Mid Section conveyor (Chevron Belt on Mid)

2200mm (7' 3") Fines Conveyor

2340mm (7' 7")

Hydraulic System

2200mm (7' 3")

1400mm (4' 6") Mid Section

Screen Mounts

UK Dowty / Parker Pumps

UK Dowty / Parker Pumps

Tracks / Axle

Resatec Swiss Oscillating Joints



Resatec Swiss Oscillating Joints

Options

- Selection of Meshes
- Discharge chutes for end of Screen
- Finger Bars top and bottom Deck
- Extra Spill plates
- Road Lights and extra axle options
- Selection of Meshes
- Discharge chutes for end of Screen
- Finger Bars top and bottom Deck
- Extra Spill plates

Deck Screen Range

	<u>Transport / Work Position (mm)</u>	<u>Weight (kgs)</u>
GORILLA AD130	H: 2596 L: 5212 W: 1859	3000kgs
GORILLA TD230	H: 2651 L: 5337 W: 2012	4200kgs



Deck Screen Range

The Gorilla TD330 is the latest entry to our product range. With all the strength and compact features of the rest of the gorilla range, the TD330 is a full 3-way split screener with the largest deck in its sector, the smallest overall footprint based on deck size and fully manoeuvrable .

Designed to Operate on and off site with no special permissions needed to transport these units anywhere in the world. Save on transport and waste material costs!



General Specifications

	GORILLA TD330
Power Unit	YANMAR 19KW (25.4HP) Diesel Engine.
Motors	EATON Motors for Conveyor
Screen Unit	Double Deck with loading pan
Deck Size	Double Deck 3m x 1.2m (10' x 4')
Mesh	Side Tensioned top mesh and end tensioned bottom mesh
Conveyor Width	1050mm (3' 5") Fines Conveyor 600mm (24") Mid Section conveyor (Chevron Belt on Mid) Discharge Conveyor 900mm (36")
Loading Height	2340mm (7' 7")
Discharge Height	2200mm (7' 3") 1400mm (4' 6") Mid Section 1850mm (6') End Conveyor
Hydraulic System	UK Dowty / Parker Pumps
Screen Mounts	Resatec Swiss Oscillating Joints
Tracks / Axle	Solid axle system and hole pin drawbar
	<ul style="list-style-type: none">• Selection of Meshes• Finger Bars top and bottom Deck

Deck Screen Range


GORILLA TD330

Transport / Work Position (mm)

H: 2626 L: 8327 W: 2340

Weight (kgs)

5800kgs



www.gorilla-Ireland.com