

DPX-20043 - PES300

HYBRID ENERGY SYSTEM

SPECIFICATION



PES300 Hybrid Energy System Item Unit Data							
		Data					
Max. ambient temp.	$^{\circ}\mathbb{C}$	50			40		
Discharge ratio	C-rate	0.5	0.75	1	0.5	0.75	1
Discharge power	kW	150	225	300	150	225	300
Continuous discharge duration*	min	Unlimited	60	30	Unlir	mited	50
Charge power	kW	Automatic control according to Automatic control according changes in battery temperature changes in battery temperature			•		
Continuous charge duration*	min	Unlimited Unlimited					
Max.charge power (AC Charger)	kW	3x30					
Continuous charge duration* (AC Charger)	min	Unlimited					
Voltage	V	380/400/415					
Frequency	Hz	50					
Phase	Р	3					
Power factor	PF	1					
Dimensions	mm	4650×2300×2500					
Dry weight	kg	9424					
40' Loading	Qty	2					
Protection class		IP54					
Noise level	dBA@7m	58					
Wiring port		L1、L2、L3、N、PE					
Power connection input		AC socket: 3P/5W, 1x300kW, 3x30kW AC copper: 3P/4W, 300kW DC socket: 110kW					
Power connection output		AC socket: 3P/5W, 1x300kW AC socket: 1P, 1x16A; 3P, 1x32A AC copper: 3P/4W, 300kW					
Certification standards		UN 38.3 IEC 62619 IEC 62477 IEC / EN 60529 EN 61000-6-1/2/3/4 CE Declaration of Conformity					


^{*} These date are based on standard test conditions: the initial temperature of the battery is ≤30°C.

Intelligent Energy Management





System Working Principle



DC/AC System			
Rated power	kVA/kW	300/300	
Output voltage	AC V	380/400/415	
Standby AC charger power	kW	3x30	
Parallel / On-grid function		Parallel: ☑; On-grid: ☑	

PV System				
Rated power	kWp	110		
Input voltage	DC V	200-1000		
NOTE: Solar panels are optional.				

Battery System			
Battery type		LiFePO4	
Battery capacity	kWh	345.6	
Rated voltage	DC V	768	
Cooling system		Air-cooled	
Max charging rate		1C	
Max discharging rate		1C	
DOD (depth of discharge)		Default 80% (set via SOC)	
NOTE: The discharge power decreas	es as the battery SOC decreases	S.	

Control System				
HMI control panel	inch	13" Touchscreen		
Communication interface		WAN/WIFI/SIM		
Cloud services		APP/WEB		

^{*} Data is subject to change without prior notice as new products are always developed.