

Machine configuration: A7302584

	Key	Description
Homologationtype	7246	7246
machine no.	A7302584	A7302584
machine no.	A7302584	A7302584
	Unit type	Serial number
	PAV FIXE 2022 G	52216501000273
Gearbox	GBA25	N314378
Motor	MOTEUR FPT STAG	002019115
Rearaxle	GPA54	N314616
Transmission	GTA2554	11781337
Equipment		
TH_102_5222	480/65 R28 Mitas AC 65 / fixed rim	
TH_102_5222	480/65 R28 Mitas AC 65 / fixed rim	
TH_103_71B2	600/65 R38 Mitas AC 65 / fixed rim	
TH_103_71B2	600/65 R38 Mitas AC 65 / fixed rim	
TH_105_1227	TH_105_1227	
TH_514_0002	0002_50km/h sans Autopilot	
TH_515_0011	0011_Pt.av.fix&Port.mas.&FSte	
TH_529_0001	0001_Air cond & pneu brake	
TH_541_0010	0010_W/o cap press tap FR lift	
TH_543_0020	0020_Tuyaux freins hydraul LS	
TH_545_0020	0020_2DEH LS	
TH_547_0020	0020_Sticker 21 89 128 1	
TH_551_0004	0004_frein pn. courr ratio1.23	
TH_555_0002	0002_Trailer Pneum brak CEE LS	
TH_557_0002	0002_Hydr. Pickup hitch LS	
TH_559_0001	0001_clos. fr DEH w/o rear DEH	
TH_587_0001	0001_P.masses équipé de masses	
TH_589_0003	0003_3 dist AR MECA LS + 2AV	
TH_593_0004	0004_3 dist AR LS + DEH AV	
TH_595_0002	0002_2 ou 3 dist MECA LS + 2AV	
TH_599_0001	0001_Avec kit grand froid+clim	
TH_601_0002	0002_LS + Isobus	
TH_617_0002	0002_Stab méca cat3	
TH_623_0010	0010_Avec Frein.pn +soufflette	
TH_653_0002	TH_653_0002	
TH_B02_0001	Front weight carrier	
TH_B04_0010	Linkage-mounted weight block 600 kg	
TH_B06_0000	Without front PTO	
TH_B10_0000	Without front loader mounting bracket	
TH_B14_0001	Without external front linkage controls	
TH_B16_0000	Without bonnet protector bar	
TH_I02_0035	CIS, colour control terminal	
TH_I04_0305	2 engine speed memories with start-up gear + auto-shift function	
TH_I08_0200	Alternator 200 A/h	
TH_I10_0010	ISOBUS-enabled, rear	

Equipment

TH_I18_0010	Activation of Task Control Basic on the tractor
TH_I22_0110	AUTO PILOT / GPS PILOT-ready
TH_I24_0000	Without SAT 900 GNSS receiver
TH_I26_0000	Without TELEMATICS
TH_I28_0000	Without terminal
TH_I32_0200	Multifunction control lever with ELECTROPILOT
TH_I38_0000	Without camera
TH_I40_0030	Steering interface-ready
TH_I41_0800	Steering interface activation
TH_I42_0010	REVERSHIFT function on the multifunction control lever
TH_J02_0060	Rear linkage, electrohydraulic, 5.75 t
TH_J04_0300	Lower links, cat. 3 with hook
TH_J06_0200	2x side stabilisers on lower link, mechanical
TH_J08_0130	Top link, cat. 3/2 with hook
TH_J10_1000	Pick-up hitch, hydraulic push out
TH_J14_0000	Without drawbar
TH_J16_0000	Without rear clevis
TH_J18_0030	Ball set, cat. 3/2
TH_J42_0020	Air brakes (2 lines)
TH_J44_0030	Hydraulic trailer brakes, air brakes (dual line)
TH_J52_0010	Additional compressed air connection, right side of cab
TH_K02_0150	Load-sensing hydraulic system (150 l/min)
TH_K04_1103	3x spool valves, mechanical (LS), CIS
TH_K06_0500	Mid-mount spool valves assigned to 1x da/rear
TH_K10_0000	Without front hydraulic outlets
TH_K12_0010	Power Beyond (load-sensing connections w/o couplers)
TH_N02_0010	QUADRISHIFT transmission
TH_N04_0200	Transmission ratio 40 km/h
TH_N06_0111	Standard front axle with steering angle sensor
TH_N08_0120	Rear axle, standard
TH_N10_0020	PTO: 540/540 ECO + 1000 rpm
TH_N14_0001	PTO stub, 6 splines, 1 3/8"
TH_N22_0252	Front mudguards, pivoting, 520 mm
TH_N26_0000	Without wheel spacers for rear axle
TH_N30_0010	PTO control, rear
TH_N32_0000	Without automatic PTO engagement/disengagement, rear
TH_N34_0000	Without rear wheel weights
TH_N38_0010	SMART STOP
TH_P02_0162	145 hp max. output, 154 hp type-approved rated output, ECE R 120
TH_P04_0010	Without diesel pre-filter
TH_P06_0040	Battery master switch, automatic, electronic
TH_P08_0030	Winter diesel, down to -38°C
TH_P10_0010	Cold start kit down to -30 °C
TH_P26_0163	155 hp max. output, 154 hp type-approved rated output, ECE R 120
TH_Q02_0050	6-pillar cab, high/low-profile, 2-point suspension
TH_Q04_0200	High roof with hatch
TH_Q08_0020	Rear window wiper
TH_Q14_0035	Mechanical mirror, with wide-angle mirror, telescopic
TH_Q18_0150	Green mudguard - narrow version with lateral extension (2.26 m)

Equipment

TH_Q20_0010	Screen mounting rail
TH_Q24_0010	Tool box
TH_Q30_0010	Additional interface sockets
TH_Q40_0030	2x high-level headlights on the roof, halogen
TH_Q56_0020	Main headlights + 2 work lights on bonnet
TH_Q58_0016	LED work lights: 2x front, 4x rear
TH_R00_0000	Colour, CLAAS Green
TH_R02_0200	CIS line
TH_R04_0130	Driver's seat, fabric, air suspension
TH_R06_0020	Passenger seat with safety belt
TH_R08_0015	Air conditioning, Cat. 3 ready
TH_R10_0060	MP3 radio with Bluetooth, USB and hands-free facility
TH_R12_0020	Cooler compartment for 1.5 l bottle (under the instructor's seat)
TH_R14_0010	Cigarette lighter
TH_R16_0020	Steering wheel, leather
TH_R20_0000	Without dynamic steering
TH_R22_0010	Steering angle-dependent automatic 4-wheel drive
TH_R24_0010	Sun visor, front
TH_S01_0140	Sticker 40 km/h
TH_S02_0001	Sticker, standard
TH_S04_0010	Right-hand drive
TH_S06_0040	2x rotating beacons, LED
TH_S08_0001	Equipment - European Union
TH_S10_0010	Number plate holder, front
TH_S12_0000	Without wheel chock
TH_S14_0000	Without pre-installed fittings, first aid
TH_S16_0000	Without preparation for fire-extinguisher
TH_S22_0010	EU identification plate
TH_T02_0010	Truck transport
A73/600	ARION 470 Stage V