

GEDA®
300 Z

The spacious transport helper at the construction site


Ideal for transporting scaffolding parts

Convenient loading and unloading

Platform swivels 90° to one side

Lightweight aluminium mast – can be assembled by one person





GEDA 300 Z


Whether scaffolding elements, tools or other construction materials: The GEDA 300 Z is the compact and robust partner for efficient material transport at construction sites. The lightweight 2-m aluminium mast elements can be assembled by one person. The convenient loading and unloading ramp ensures comfortable access to the platform, which is approved for transporting up to 300 kg. Once at the landing level, the car of the GEDA 300 Z, which can be swivelled by 90 degrees, allows a safe transition and comfortable loading and unloading. The GEDA 300 Z is available in a 230 V or a 400 V version and can therefore be adapted ideally to the power supply at the construction site.

Technical data:

	300 kg
	50 m 100 m
	20 m/min 30 m/min
	1.8 kW/230 V/50 Hz/16 A 2.5 kW/400 V/50 Hz/16 A

Platform:

The compact hoist on site!



GEDA 300 Z swivel platform
1 loading and unloading ramp

Landing level safety gate:




ECO
Art. No. 38500

Accessories:


For a wide range of
accessories visit:
www.geda.de




Space requirements:



Normal space requirement in front of a wall



Normal space requirement in front of a scaffold



Shaft dimensions

