

Machine configuration: A9700355

	Key	Description
Homologationtype	746H	746H
machine no.	A9700355	A9700355
machine no.	A9700355	A9700355
	Unit type	Serial number
Gearbox	BV AM	00070
Cabine	K07 4 POTEAUX H	50007057-0118200009
Motor	MOTEUR A97 6068	CD6068U136119
Rearaxle	GPA23	L121587
Frontaxle	PONT AVANT SUSP	C-ITA-309822
Equipment		
TD_102_9781	600/60 R30 VF Michelin Xeobib / fixed rim	
TD_102_9781	600/60 R30 VF Michelin Xeobib / fixed rim	
TD_103_95Y1	710/60 R42 Michelin Xeobib VF / fixed rim	
TD_103_95Y1	710/60 R42 Michelin Xeobib VF / fixed rim	
TD_105_6463	TD_105_6463	
TD_514_0004	0004_A.pilot ou D.Dy pont M50	
TD_515_0003	0003_Pont avant susp N4	
TD_519_0001	0001_Front weight or weight	
TD_522_0000	0000_Sans Faisceau 522/0010	
TD_523_0002	0002_frein. pneu pour 151KW	
TD_527_0001	0001_A.pilot+Siège méca/Sears	
TD_539_0002	0002_Powerbey. OUexcl Ppres AV	
TD_561_0001	0001_E.pilot FL W/o FH	
TD_567_0040	0040_Sans Pdf av N4	
TD_569_0003	0003_Circul. Droite LED	
TD_571_0001	0001_siège SEARS + N4	
TD_573_0001	0001_Siège tissu + N4	
TD_575_0001	0001_Ss Ctrl Pos-Obturbateur N4	
TD_577_0030	0030_Avec pré-eq.chargeur N4	
TD_579_0030	0030_Electropilot N4	
TD_585_0002	0002_Terminal + rail	
TD_591_0001	0001_Compatibles avec chargeur	
TD_619_0005	0005_Plaque EUROPE code OECD	
TD_623_0010	0010_GPS ready St + ss OSI	
TD_635_0020	0020_CCM+sans toit ouvr.opaque	
TD_639_0002	0002_Sans caméra+accoudoir N4	
TD_641_0006	0006_Sans caméra+élargis 2.75m	
TD_643_0020	0020_UCM avec CEBIS	
TD_B02_0011	Front weight carrier 110 kg	
TD_B04_0000	Without linkage-mounted weight block	
TD_B06_0000	Without front PTO	
TD_B08_0100	Without electronic position control	
TD_B10_0030	Front loader bracket	
TD_B12_0022	Side rails for engine and transmission for front linkage	
TD_B14_0100	Without external front linkage controls	

Equipment

TD_I02_0041	CEBIS terminal with touchscreen
TD_I04_0171	CMATIC with engine speed memory plus CSM, CEBIS
TD_I10_0010	ISOBUS-enabled, rear
TD_I18_0000	Without job management
TD_I20_0000	Without CEMOS
TD_I22_0050	AUTO PILOT module
TD_I24_0060	EGNOS/E-DIF correction signal
TD_I25_0160	CLAAS universal communication module (LTE)
TD_I26_0070	TELEMATICS advanced licence – 1 year
TD_I28_0050	S10 terminal - SATCOR 15
TD_I29_0190	CLAAS Remote Service with five-year licence
TD_I29_0210	ISOBUS activation for CEBIS
TD_I30_0110	CLAAS navigation controller
TD_I32_0201	ELECTROPILOT
TD_I38_0000	Without video function in CEBIS
TD_I40_0005	Standard steering interface
TD_J02_0050	Electr. link. control, ELC with radar sensor & wheel slip control
TD_J04_0040	Lower links, cat. 3 with hook
TD_J06_0200	Lower link stabilisers, mechanical
TD_J08_0132	Mechanical top link, cat. 3 hook
TD_J10_1023	Pick-up hitch, hydraulic push out
TD_J12_0020	Rear linkage, increased lift capacity
TD_J14_0000	Without drawbar
TD_J16_0000	Without rear clevis
TD_J18_0020	Ball set, cat. 3/2
TD_J40_0132	Hydraulic brakes and air brakes (2 lines)
TD_J50_0000	Without automatic trailer stretch brake
TD_K02_0050	Load-sensing hydraulics 150 l/min
TD_K04_0223	4+2 spool valves, electrohydraulic proportional (CEBIS)
TD_K10_0000	Without front hydraulic outlets
TD_K12_0020	Power Beyond, load-sensing connections without flat face couplers
TD_N02_0041	CMATIC transmission, continuously variable
TD_N04_0070	Transmission ratio 50 km/h
TD_N06_0360	PROACTIV front axle with wet multi-disc brakes
TD_N08_0120	Rear axle, standard, 275 mm
TD_N10_0003	PTO 540/540 ECO + 1000/1000 ECO rpm
TD_N14_0010	PTO stubs, 21 splines and 6 splines, 1 3/8"
TD_N20_0020	Parking brake on REVERSHIFT lever
TD_N22_0262	Front mudguards, pivoting, 620 mm
TD_N26_0031	4 wheel spacers for rear axle, 4 x 25 mm
TD_N34_0000	Without rear wheel weights
TD_N36_0000	Without rear wheel adapter
TD_N38_0001	Standard transmission management.
TD_N46_0351	Steering angle sensor for braked PROACTIV front axle
TD_P02_0132	205 hp max. output, 196 hp type-approved rated output, ECE R 120
TD_P04_0010	Without diesel pre-filter
TD_P06_0040	Battery master switch, automatic, electronic
TD_P08_0030	Winter diesel, down to -38°C
TD_P10_0011	Cold start kit down to -30°C

Equipment

TD_P14_0010	Exhaust pipe, standard
TD_P18_0016	Fuel tank 285 l
TD_Q02_0012	4-pillar cab with 4-point suspension
TD_Q04_0013	Roof, without roof hatch
TD_Q06_0012	Rear window for 4-pillar cab
TD_Q08_0040	Rear wiper, with right-hand wiper
TD_Q14_0020	Electric mirror, with wide-angle mirror
TD_Q18_0023	Mudguard extensions, ext. width 2.55 m, wheel diam. > 1.93 m
TD_Q20_0032	Terminal bar, roof liner
TD_Q22_0010	Removable storage box, left
TD_Q30_0020	Additional interface sockets
TD_Q40_0030	2x high-level headlights, A-pillar
TD_Q50_0047	Standard rear lights, LED with warning signs
TD_Q56_0020	4x LED road lights, 2x LED work lights on bonnet
TD_Q58_0030	LED work lights – Plus
TD_Q60_0020	LED work lights – Premium
TD_R00_0001	Colour, CLAAS Green
TD_R02_0030	CEBIS
TD_R04_0130	Comfort seat, fabric, semi-active suspension, heated, swivelling
TD_R06_0020	Passenger seat with safety belt
TD_R08_0020	Automatic climate control
TD_R10_0030	MP3 radio with Bluetooth, external mic. for hands-free system
TD_R14_0010	Cigarette lighter
TD_R16_0020	Steering wheel, leather
TD_R20_0000	Without dynamic steering
TD_S02_0001	Standard sticker
TD_S04_0010	Right-hand drive
TD_S06_0040	2x LED rotating beacons, folding
TD_S08_0001	Equipment - European Union
TD_S10_0010	Registration plate holder, front
TD_S12_0000	Without wheel chock
TD_S14_0020	First aid kit
TD_S16_0010	Prepared for fire-extinguisher
TD_S20_0000	Without tablet holder fittings
TD_S22_0010	EU identification plate
TD_T02_0010	Truck transport
TD_T05_0010	Factory-fitted front loader
A97/400	ARION 660 CMATIC Stage V