

Machine configuration: A9605176

	Key	Description
Homologationtype	746G	746G
machine no.	A9605176	A9605176
machine no.	A9605176	A9605176

	Unit type	Serial number
	PONT AVANT SUSP	G-ITA-340055
Gearbox	GBA25	P129369
Motor		CD6068U259096
Rearaxle	GPA23	P129623
Transmission	GTA2523	11938032

Equipment

TD_102_6382	540/65 R30 Mitas AC65 / fixed rim
TD_102_6382	540/65 R30 Mitas AC65 / fixed rim
TD_103_76Y2	650/65 R42 Mitas AC65 / fixed rim
TD_103_76Y2	650/65 R42 Mitas AC65 / fixed rim
TD_105_6169	TD_105_6169
TD_121_2010	TD_121_2010
TD_513_0002	0002_C.ram et DEH Arr
TD_514_0004	0004_A.pilot ou D.Dy pont M50
TD_519_0001	0001_Front weight or weight
TD_521_0003	TD_521_0003
TD_523_0002	0002_frein. pneu pour 151KW
TD_533_0002	0002_CIS avec pont av suspendu
TD_561_0001	0001_E.pilot FL W/o FH
TD_567_0030	0030_Sans Pdf av N3
TD_569_0001	0001_Circul. Droite Halo
TD_577_0020	0020_Avec pré-eq.chargeur N3
TD_579_0021	0021_Electropilot RHR N3
TD_581_0002	0002_Court (cab 5 poteaux)
TD_599_0001	TD_599_0001

Equipment

TD_635_0020	0020_CCM+sans toit ouvr.opaque
TD_637_0003	TD_637_0003
TD_641_0006	0006_Sans caméra+élargis 2.75m
TD_807_0001	TD_807_0001
TD_809_0001	TD_809_0001
TD_815_0001	TD_815_0001
TD_817_0003	TD_817_0003
TD_819_0003	TD_819_0003
TD_821_0002	TD_821_0002
TD_931_0010	TD_931_0010
TD_933_0020	TD_933_0020
TD_947_0010	TD_947_0010
TD_951_0010	TD_951_0010
TD_B02_0011	Front weight carrier 110 kg
TD_B04_0000	Without linkage-mounted weight block
TD_B06_0000	Without front PTO
TD_B08_0100	Without electronic position control
TD_B10_0030	Front loader bracket
TD_B12_0023	Side rails for engine and transmission for front loader
TD_B14_0100	Without external front linkage controls
TD_I02_0036	CIS+ with colour display
TD_I04_0024	24/24 gear HEXASHIFT, HEXACTIV, speed limiter
TD_I10_0010	ISOBUS-enabled, rear
TD_I18_0010	Activation of Task Control Basic on the tractor
TD_I20_0000	Without CEMOS
TD_I22_0110	AUTO PILOT / GPS PILOT-ready
TD_I24_0000	Without SAT 900 GNSS receiver
TD_I26_0000	Without TELEMATICS
TD_I28_0000	Without terminal
TD_I32_0301	ELECTROPILOT with reversing function
TD_I38_0000	Without video function in CEBIS
TD_I40_0030	Steering interface-ready

Equipment

TD_I41_0800	Steering interface activation
TD_J02_0040	Standard ELC (electronic linkage control)
TD_J04_0040	Lower links, cat. 3 with hook
TD_J06_0200	Lower link stabilisers, mechanical
TD_J08_0132	Mechanical top link, cat. 3 hook
TD_J10_1023	Pick-up hitch, hydraulic push out
TD_J12_0020	Rear linkage, increased lift capacity
TD_J14_0000	Without drawbar
TD_J16_0000	Without rear clevis
TD_J18_0020	Ball set, cat. 3/2
TD_J40_0132	Hydraulic brakes and air brakes (2 lines)
TD_J50_0000	Without automatic trailer stretch brake
TD_K02_0010	Load-sensing hydraulics 110 l/min
TD_K04_0213	4+2 spool valves, electrohydraulic proportional (CIS+)
TD_K10_0000	Without front hydraulic outlets
TD_K12_0020	Power Beyond, load-sensing connections without flat face couplers
TD_N02_0013	Transmission without creeper range
TD_N04_0070	Transmission ratio 50 km/h
TD_N06_0360	PROACTIV front axle with wet multi-disc brakes
TD_N08_0120	Rear axle, standard, 275 mm
TD_N10_0003	PTO 540/540 ECO + 1000/1000 ECO rpm
TD_N14_0010	PTO stubs, 21 splines and 6 splines, 1 3/8"
TD_N20_0020	Parking brake on REVERSHIFT lever
TD_N22_0254	Front mudguards, pivoting, 540 mm
TD_N26_0031	4 wheel spacers for rear axle, 4 x 25 mm
TD_N34_0000	Without rear wheel weights
TD_N36_0000	Without rear wheel adapter
TD_N38_0030	SMART STOP + cruise control management
TD_N46_0351	Steering angle sensor for braked PROACTIV front axle
TD_P02_0062	185 hp max. output, 192 hp type-approved rated output, ECE R 120
TD_P04_0010	Without diesel pre-filter
TD_P06_0040	Battery master switch, automatic, electronic

Equipment

TD_P08_0030	Winter diesel, down to -38°C
TD_P10_0010	Cold start kit down to -30°C
TD_P14_0010	Exhaust pipe, standard
TD_P18_0014	Fuel tank 285 l
TD_Q02_0011	5-pillar cab with 4-point suspension
TD_Q04_0013	Roof, without roof hatch
TD_Q06_0011	Rear window for 5-pillar cab
TD_Q08_0010	Rear window wiper
TD_Q14_0010	Mechanical mirror, with wide-angle mirror
TD_Q18_0023	Mudguard extensions, ext. width 2.55 m, wheel diam. > 1.93 m
TD_Q20_0022	Terminal bar, right-hand side window
TD_Q22_0010	Removable storage box, left
TD_Q30_0020	Additional interface sockets
TD_Q40_0030	2x high-level headlights, A-pillar
TD_Q50_0046	Standard rear lights, halogen with warning signs
TD_Q56_0010	4x halogen road lights, 2x halogen work lights, bonnet
TD_Q58_0020	Halogen work lights: 4x roof, front and 4x roof, rear
TD_Q60_0010	Work lights, halogen: 2x turn indicator holder, 2x rear mudguards
TD_R00_0001	Colour, CLAAS Green
TD_R02_0020	CIS +
TD_R04_0120	Comfort seat, fabric, air-suspension, swivelling
TD_R06_0020	Passenger seat with safety belt
TD_R08_0015	Air conditioning, Cat. 3 ready
TD_R10_0060	MP3 radio with Bluetooth, USB, SD, ext. mic and hands-free system
TD_R14_0010	Cigarette lighter
TD_R16_0020	Steering wheel, leather
TD_R20_0000	Without dynamic steering
TD_S02_0001	Standard sticker
TD_S04_0010	Right-hand drive
TD_S06_0040	2x LED rotating beacons, folding
TD_S08_0001	Equipment - European Union
TD_S10_0010	Registration plate holder, front

Equipment

TD_S12_0000	Without wheel chock
TD_S14_0000	Without pre-installed fittings, first aid
TD_S16_0000	Without preparation for fire-extinguisher
TD_S20_0000	Without tablet holder fittings
TD_S22_0010	EU identification plate
TD_T02_0010	Truck transport
TD_T05_0010	Factory-fitted front loader (separate order)
A96/300	ARION 650 HEXA Stage V