

## Servicekort

Maskinnr.: 50200386 JAGUAR 960 E5  
Serviceværksted: 4443 Danish Agro Machinery Vinderup - Danmark

### Udstyr:

|        |      |                                                          |
|--------|------|----------------------------------------------------------|
| SH_B10 | 0000 | Without trailer hitch                                    |
| SH_D02 | 0440 | V-MAX 36-knife chopping unit                             |
| SH_D06 | 0090 | Crop flow XL PREMIUM LINE professional                   |
| SH_D10 | 0050 | Precompression, hydraulic                                |
| SH_D14 | 0120 | Front attachment drive variable speed, prepared for DIRE |
| SH_D16 | 0030 | PREMIUM LINE universal shear bar                         |
| SH_D18 | 0150 | MULTI CROP CRACKER CLASSIC L, 100/125 teeth, hard-chrome |
| SH_D20 | 0020 | Corncracker gap setting, electrohydraulic                |
| SH_D22 | 0060 | Corncracker drive L, hydraulic belt tensioning           |
| SH_D24 | 0010 | Silage additive system with tank (375 l)                 |
| SH_E02 | 0072 | Accelerator gap adjustment, electrohydraulic             |
| SH_E08 | 0020 | Upper disch. chute light. LED, pivot. action syn. with c |
| SH_E10 | 0060 | Discharge spout, standard with extension XL, PREMIUM LIN |
| SH_E12 | 0060 | Rotation ring, upper discharge chute XL, PREMIUM LINE    |
| SH_N02 | 0340 | Drive axle L                                             |
| SH_N04 | 0220 | Drive axle tyres 900/60 R38 178D                         |
| SH_N08 | 0446 | Steering drive axle 4WD, rigid (8-hole)                  |
| SH_N10 | 0190 | Steering axle tyres 620/70 R30 178 A8                    |
| SH_N12 | 0040 | Ground speed 40 km/h                                     |
| SH_N22 | 0010 | Tyre pressure control system for drive axle              |
| SH_P02 | 0685 | MB S6-cyl. OM 473 LA, 480 kW/653 hp, ECE R 120           |
| SH_P03 | 0070 | CEMOS AUTO PERFORMANCE                                   |
| SH_P03 | 0100 | Auxiliary fuel tank, 300 litres                          |
| SH_P06 | 0000 | Without hydraulic oil water separator                    |
| SH_P16 | 0060 | DYNAMIC COOLING                                          |
| SH_Q02 | 0090 | Comfort cab w. A/C MATIC – automatic climate control and |
| SH_Q03 | 0014 | Radio with MP3 function                                  |
| SH_Q03 | 0065 | windscreen wiper system for side and rear windows        |
| SH_Q03 | 0085 | Sun blinds for side and rear windows                     |
| SH_Q03 | 0110 | Cooling unit for storage box M                           |
| SH_Q06 | 0160 | CEBIS terminal with armrest, standard                    |
| SH_Q07 | 0356 | Camera system, prepared                                  |
| SH_Q07 | 0360 | Rear camera with CEBIS display                           |
| SH_Q07 | 0392 | Monitor for PROFI CAM / AUTO FILL                        |
| SH_Q09 | 0010 | QUANTIMETER yield measurement                            |
| SH_Q09 | 0080 | Printer                                                  |
| SH_Q09 | 0198 | Remote Service with 5-year licence                       |
| SH_Q09 | 0210 | TELEMATICS advanced licence – 1 year                     |
| SH_Q09 | 0230 | Automatic documentation including 1-year licence         |
| SH_Q10 | 0045 | Premium seat Actimo Evolution, air-suspended             |
| SH_Q12 | 0060 | Work lighting, LED – Premium                             |
| SH_Q14 | 0021 | Storage box M incl. instructor's seat                    |
| SH_Q16 | 0020 | CMOTION multifunction control lever                      |
| SH_Q17 | 0149 | CLAAS Communication module (LTE)                         |
| SH_Q18 | 0010 | Locking system, standard                                 |
| SH_Q20 | 0020 | Rear lights, LED                                         |
| SH_Q22 | 0040 | Near infrared sensor (NIR) for PREMIUM LINE              |

**Servicekort**

Maskinnr.: 50200386 JAGUAR 960 E5  
Serviceværksted: 4443 Danish Agro Machinery Vinderup - Danmark

|        |      |                                                          |
|--------|------|----------------------------------------------------------|
| SH_Q28 | 0010 | CAN Ethernet Gateway (CEG)                               |
| SH_R03 | 0013 | Steering angle sensor                                    |
| SH_R03 | 0121 | STOP ROCK, stone detector for hydraulic precompression   |
| SH_R03 | 0140 | CRUISE PILOT forward travel control                      |
| SH_R03 | 0151 | OPTI FILL automatic spout function for spout rotation as |
| SH_R03 | 0195 | AUTO FILL trailer filling system                         |
| SH_R03 | 0200 | Software for AUTO PILOT row sensor maize                 |
| SH_R03 | 0270 | AUTO PILOT module with dynamic steering                  |
| SH_R04 | 0010 | Rear-view mirrors, electrically adjustable and heated    |
| SH_R05 | 0030 | Central lubrication system, automatic                    |
| SH_R05 | 0100 | Service and step lightning LED                           |
| SH_R06 | 0000 | Without preparation for ORBIS transport system           |
| SH_R07 | 0030 | Aux. spool valve, double-acting, for pick-up-type traile |
| SH_R08 | 0000 | Without compressed air brake system                      |
| SH_R10 | 0000 | Without dust shield                                      |
| SH_R12 | 0000 | Without spool valve                                      |
| SH_S02 | 0010 | Statutory equipment for right-hand side traffic          |
| SH_S03 | 0010 | 2 rotating beacons                                       |
| SH_S03 | 0051 | Marker lights                                            |
| SH_S03 | 0180 | Safety labelling, standard                               |
| SH_S04 | 0020 | Tool kit – Basic                                         |
| SH_S06 | 0010 | Documentation                                            |
| SH_S07 | 0025 | Fire extinguisher SF,N,DK                                |
| SH_S09 | 0180 | Base weight 510 kg, fitted                               |
| SH_T02 | 0020 | Shipping method - truck                                  |
| SH_T03 | 0020 | Machine ready to run                                     |
| SH_T04 | 0010 | Hydraulic oil, standard                                  |
| SH_Z02 | 0000 | Without front attachment check                           |
| SH_Z03 | 0100 | Check group DIRECT DISC                                  |
| SH_Z03 | 0180 | Check group PICK UP                                      |

Servicekort

Maskinnr.: 50200386 JAGUAR 960 E5  
Serviceværksted: 4443 Danish Agro Machinery Vinderup - Danmark

**Aggregater:**

| <u>Materiale</u>   | <u>Betegnelse</u>             | <u>Aggregatnummer</u>                     |
|--------------------|-------------------------------|-------------------------------------------|
| 13249105           | TRANSFER CASE                 | 01366                                     |
| 28132863           | STEERING COLUMN               | 00487                                     |
| 24025540           | ENGINE                        | 473.914-C-0562449                         |
| 28114025           | KABINE VM OHNE GLAS           | 1007900281140250000350                    |
| 01247002           | HYDRAULIC PUMP                | HYX265X00828                              |
| 01304741           | ADJUSTING PUMP                | S201100649                                |
| 07747101           | TRANSFER CASE                 | 01235                                     |
| 01246720           | HYDRAULIC MOTOR               | HYX284X00269                              |
| 15046980           | STEERING AXLE                 | CL_98_00_230                              |
| 17046092           | DRIVING AXLE                  | 00906                                     |
| 01242921           | FEEDER GEARBOX                | 02722                                     |
| 01246640           | HYDRAULIC PUMP                | HYX233X01622                              |
| 01246851           | HYDRAULIC PUMP                | HYX262X02303                              |
| 01246911           | HYDRAULIC MOTOR               | HYX234X01475                              |
| 00167012           | MAIN DISTR.BOX                | 20.354806.1030                            |
| 05373030           | DRIVERS SEAT                  | 16622686000009200428                      |
| 05379121           | PANEL                         | 351CMA01-B160055                          |
| 05379271           | MODULE                        | JVR6GSL01-B150058                         |
| 05379031           | MULTIFUNCT.LEVER              | 019/0000OS051484*10820                    |
| 26476720           | ANGLE DRIVE                   | 002647672.0138401000076                   |
| 05644948           | SERVICE BRAKE PA              | 2020ST-00001290                           |
| 24061501           | MAIN DISTR.BOX                | 20.357029.1027                            |
| 24005804           | ROLLER HOUSING                | 01636                                     |
| 01246861           | HYDRAULIC MOTOR               | HYX295X00169                              |
| 28149610           | HAECHESELEINHEIT TYP 502 CSLG | 50200386                                  |
| 23125680           | MODULE CPL                    | A009_B156462                              |
| 29480050           | SOFTWARE                      | A009_2.8.9                                |
| 26611851           | MODULE CPL                    | A030_B130024                              |
| 18115450           | MODULE CPL                    | A049_B100026                              |
| 24061810           | MODULE CPL                    | A069_B120297                              |
| 26321730           | PANEL CPL                     | A075_---                                  |
| 29381920           | SOFTWARE                      | A075_1.0.11                               |
| 24061840           | MODULE CPL                    | A099_B110310                              |
| 05583721           | MODULE                        | A104_B110019                              |
| 05592913           | SOFTWARE                      | A104_2.0.11                               |
| 26321730           | PANEL CPL                     | A130_---                                  |
| 29381920           | SOFTWARE                      | A130_1.0.11                               |
| 18211774           | MODULE                        | A159_B1400054                             |
| FA-MODUL-A159-0007 | IMEI MODUL (UCM)              | A159_352255063158962                      |
| FA-MODUL-A159-0008 | ICCID SIM-CARD (UCM)          | A159_89490200001386598562                 |
| FA-MODUL-A159-0009 | IMSI SIM-CARD (UCM)           | A159_262017740379214                      |
| FA-MODUL-A159-0010 | UUID (UCM)                    | A159_fefda85d-1cce-5060-b501-e5c8e8eaa268 |
| 24035661           | COMPR AIR RESERVOIR AM        | CLAAS-44836                               |
| FA-MODUL-A015-0007 | ENGINE SERIAL-NR (ECM)        | A015_473914C0562449                       |
| FA-MODUL-A015-0009 | WDA MODUL (ECM)               | A015_W1F800320C4001737                    |
| FA-MODUL-A032-0009 | ATS / AGN ID (SCR)            | A032_930822C0052774                       |
| 26611840           | CAMERA                        | B10007                                    |
| 00157402           | MODULE CPL                    | A084_W430183                              |

**Servicekort**

Maskinnr.: 50200386 JAGUAR 960 E5  
Serviceværksted: 4443 Danish Agro Machinery Vinderup - Danmark

|            |                        |              |
|------------|------------------------|--------------|
| 27810761   | SOFTWARE               | A084_3.0.2   |
| 18111392   | MODULE CPL             | A085_B155553 |
| 27641961   | SOFTWARE               | A085_2.4.1   |
| 18115150   | SENSOR CPL             | B423_B070784 |
| 18114966   | SOFTWARE               | B423_1.30.7  |
| 26611840   | CAMERA                 | B217_B100007 |
| 27325580   | SOFTWARE               | B217_1.8.34  |
| FA-CODE05  | SPEED CODE 40          | 28B0150      |
| FA-CODE11  | CRUISE PILOT           | 6C2817       |
| FA-CODE124 | CEMOS AUTO PERFORMANCE | 1ACBBFC      |
| FA-CODE21  | STOP ROCK              | 1897FFF      |
| FA-CODE22  | MOISTURE METER         | 2D966C0      |
| FA-CODE23  | YIELD MEASURING        | 2E7EE60      |
| FA-CODE24  | AUTOPILOT SWITCH       | 18D9660      |
| FA-CODE27  | OPTIFILL               | 1B7CC93      |
| FA-CODE36  | LOGIN PIN TELEMATICS   | 0162D080     |
| FA-CODE64  | AUTOFILL SIDE+REAR     | 1320990      |
| 29790751   | SOFTWARE               | A030_6.16.3  |
| 27688396   | SOFTWARE UCM           | A159_20.12.4 |
| 00127050   | PRINTER                | A003_B110348 |
| 00158981   | SOFTWARE               | A003_1.0.1   |