




This drawing and the information it contains is the property of Western Global Australia Pty Limited., and must be returned upon request. It must not be copied directly, nor indirectly, placed in the hands of others, nor used in any way that is detrimental to the interests of Western Global Australia Pty Limited. © COPYRIGHT

Standards For Safety : Close Top Diked (Contained)

1. UL 142 : Steel Above Ground Tanks for Flammable and Combustible Liquids
2. CAN/ULC-S601 : Shop Fabricated Steel Above Ground Tanks for Flammable and combustible Liquids
3. US DOT 49CFR
4. TRANSPORT CANADA CAN / CGSB 43.146-2003
5. ADR
6. AUSTRALIA AS-1692 2006
7. ADG Code
8. VLAREM II(Belgium)
9. KIWA (Holland)



Liquid Volume	Litre	US Gal	UK Gal
Nominal Capacity	2091	552	460
Safe Fill Capacity @95%	1986	525	437
	Kg	Lb	
Tare Weight	823	1814	
MGW	2809	6193	

REV	REVISION DESCRIPTION	DATE	BY	CHECK	APP'D	GENERAL TOLERANCE 0.00 ±0.005 0.0 ±0.05 0 ±0.5 OVER 100 TO 500 ±1 OVER 500 TO 5000 ±2 OVER 5000 TO 10000 ±5 ANGLES ±0.5° SURFACE FINISH FABRICATION 6.3/ MACHINING 3.2/		WESTERN GLOBAL				PROJECT ID		PROJECT	
												TCG			
								TITLE							
								20TCG- WG-GA DRAWING							
5	REMOVED BS799 FROM THE LIST OF SAFETY STANDARDS	18-DEC-18	RS	JS	MG			THICKNESS(mm):							
4	UPDATED PORT DETAILS	17-JULY-18	RS	JS	MG										
3	Updated Volume and Weight details as per master data sheet	04-JUNE-18	RS	JS	MG										
2	TANK CAPACITY CORRECTED FROM 2081L TO 2122L AND SECOND ROW MIDDLE PORT CHANGED TO 2 INCH, ASSEMBLY DETAILING UPDATED	12-DEC-16	MN	AK	MG	MATERIAL :	WEIGHT (KG) :	WESTERN GLOBAL HOUSE BROADLANE, YATE, BRISTOL BS37 7LD-UK T:+44 1454 227 277		SCALE	PAPER	SHEET No	DRAWING No.	REV	
1	ISSUED FOR CONSTRUCTION	19-FEB-16	JS	AK	MG	AS SPECIFIED	823			1:10	A3	1/3	20TCG-WG-GA_R2	5	



A

B

C

D

E

F



B

C

D

E

└



A horizontal timeline with 8 numbered segments (1-8) and 9 tick marks. The segments are separated by vertical lines, and each segment is labeled with a number from 1 to 8. There are tick marks at the beginning and end of each segment, totaling 9 tick marks.

