

	Key	Name
Homologationtype	4462	4462
machine no.	A4400171	A4400171
machine no.	A4400171	A4400171

		Serial number
Gearbox	TMG45 4.2 SP EC	00000000004278008
Cabine	K07	X-50000815-4817004
Motor	XXXXX	000048080
Rearaxle	GPA37	H346501
Frontaxle	770-641	SZ-ITA-353716
Transmission	GTA4337	10569354

Type/Subtype

A44	AXION 960-920
TJ_102_1C29	600/70 R34 Trelleborg TM900HP / fixed rim
TJ_102_1C29	600/70 R34 Trelleborg TM900HP / fixed rim
TJ_103_1E49	710/75 R42 Trelleborg TM900 High Power / fixed rim
TJ_103_1E49	710/75 R42 Trelleborg TM900 High Power / fixed rim
TJ_105_4543	4543_21453280/4337
TJ_321_0030	0030_Fscx sans Isobus MR
TJ_322_0000	0000_Sans fsc EV relevage AV
TJ_350_0000	0000_sans axe (1 sur rel)
TJ_433_0012	0012_Valve 4roues+mono péd. MR
TJ_440_0008	0008_Fr remorque+PAV FR MR
TJ_441_0010	0010_Avec ou ss Pn+Hyd+220l
TJ_442_0002	0002_avec pneu avec hyd st 4/5
TJ_444_0020	0020_avec RAV + ctrl pos
TJ_446_0010	0010_avec pneu CEE/UK+St 4
TJ_447_0002	0002_Support GPA37 MR
TJ_448_0010	0010_avec pneu + mono St4
TJ_449_0040	0040_Faisceau 220L - MR
TJ_522_0000	0000_Sans Faisceau 522/0010
TJ_527_0001	0001_Autopilot+sièges étroits
TJ_537_0040	0040_Rel.Av&D.EH.Ar &DEH
TJ_571_0002	0002_LED + N4
TJ_583_0004	0004_Autopilot MR
TJ_585_0002	0002_Terminal + rail
TJ_587_0002	0002_obturateur N4
TJ_709_0020	0020_Accoudoir N4 - avec RAV
TJ_713_0001	0001_Obturateur N2/N4
TJ_715_0010	0010_Ctrl Position -Molette N4
TJ_810_0003	0003_Obturateur N4 PT Suspendu
TJ_910_0001	0001_UBM1.1 type 1
TJ_921_0001	0001_couvercle tissu
TJ_923_0001	0001_Fixation SEARS
TJ_B02_0233	CLAAS front linkage 5.0 t
TJ_B03_0022	External operation for front linkage and front spool valve
TJ_B04_0000	Without linkage-mounted weight block
TJ_B06_0000	Without front PTO (without front linkage)
TJ_B08_0010	Electronic position control
TJ_I02_0041	CEBIS terminal with touchscreen
TJ_I04_0042	CMATIC with 2 engine speed memories + CSM, CEBIS
TJ_I10_0011	ISOBUS-ready with ISO rear socket
TJ_I18_0000	Without job management

Type/Subtype

TJ_I25_0011	CLAAS communication module (3G)
TJ_I26_0070	TELEMATICS advanced licence – 1 year
TJ_I28_0030	S10 terminal
TJ_I29_0110	Activation of RTK licence
TJ_I30_0110	CLAAS navigation controller
TJ_I32_0200	ELECTROPILOT
TJ_I38_0000	Without camera
TJ_I40_0000	Standard steering interface
TJ_J02_0050	ELC with radar sensor & wheel slip control
TJ_J04_0311	Lower links, rear linkage, cat. 3 hook
TJ_J06_0405	Lower link stabilisers, automatic
TJ_J08_0234	Hydraulic top link, cat. 3 hook
TJ_J10_1016	Pick-up hitch
TJ_J14_0000	Without drawbar
TJ_J16_0000	Without clevis
TJ_J18_0090	2 x ball set cat. 3/3
TJ_J40_0163	Hydraulic brakes and air brakes
TJ_J46_0000	Without ABS connection for trailer
TJ_J48_0010	Single pedal
TJ_K02_0220	LS hydraulic system, variable displacement pump 220 l/min
TJ_K04_2460	6 + 2 spool valves, electrohydraulic proportional
TJ_K10_0060	Mid-mount valves (Fr. Link & 1 pair coup.) 1 da piped from rear
TJ_K12_0020	Power Beyond, load-sensing connections without flat face couplers
TJ_N04_0170	Transmission ratio 50 km/h
TJ_N06_0514	PROACTIV front axle with brakes
TJ_N08_0024	Quick-release axle, 10-hole rims, external width 2.50 m
TJ_N10_0041	PTO 1000 ECO + 1000 rpm
TJ_N14_0050	PTO stub, 6 splines 1 3/8" + 20 splines 1 3/4"
TJ_N22_0362	Front mudguards, pivoting, 620 mm
TJ_N28_0000	Without tyre pressure adjustment system
TJ_N34_0000	Without rear wheel weights
TJ_N38_0001	Standard transmission management.
TJ_P02_0444	385 hp max. output, 394 hp type-approved rated output, ECE R 120
TJ_P04_0030	Large diesel pre-filter
TJ_P06_0040	Battery master switch, automatic, electronic
TJ_P08_0020	White diesel
TJ_P10_0013	Cold-start kit down to -30°C
TJ_P12_0020	Large diesel pre-filter, heated
TJ_P14_0030	Exhaust pipe, standard
TJ_P16_0474	Air compressor with air drier
TJ_P18_0010	Fuel tank
TJ_P22_0010	Engine brake
TJ_Q02_0036	Cab with 4-point suspension
TJ_Q04_0050	Roof, without roof hatch
TJ_Q06_0020	Rear window, heated
TJ_Q08_0040	Rear wiper, with right-hand wiper
TJ_Q14_0020	Electric mirror with wide-angle mirror
TJ_Q18_0030	Lateral mudguard extensions to 2.75 m external width
TJ_Q20_0042	2x terminal bars, roof liner and right side window
TJ_Q22_0010	Removable storage box, left
TJ_Q24_0010	Removable tool box, left
TJ_Q30_0030	Additional interface sockets + USB
TJ_Q40_0030	2 high-level headlights, A-pillar
TJ_Q50_0020	Wind deflector

Type/Subtype

TJ_Q58_0050	LED work lights – Premium
TJ_Q60_0030	LED work lights – Premium
TJ_R00_0001	Colour, CLAAS Green
TJ_R02_0300	CEBIS
TJ_R04_0130	Comfort seat, fabric, semi-active suspension, heated, swivelling
TJ_R06_0020	Passenger seat with safety belt
TJ_R08_0020	Automatic climate control
TJ_R10_0010	Without radio
TJ_R14_0010	Cigarette lighter
TJ_R16_0010	Steering wheel, standard
TJ_R20_0000	Without dynamic steering
TJ_S01_0150	50 km/h sticker
TJ_S02_0001	Safety sticker, standard
TJ_S04_0010	Right-hand drive
TJ_S06_0021	1x rotating beacon, left
TJ_S08_0001	Equipment - European Union
TJ_S10_0000	Without front number plate holder
TJ_S12_0020	2 wheel chocks
TJ_S14_0000	Without first aid kit
TJ_S16_0010	Pre-installed fittings for fire-extinguisher
TJ_S20_0000	Without tablet holder
TJ_T02_0010	Truck transport
A44/430	AXION 940 stage IV MR