

GTMR 331 B



Baumgartner Kran GmbH

Bahnhofstrasse 72
5322 Koblenz

Tel. +41 (0)79 662 21 02

www.baumgartnerkran.ch
info@baumgartnerkran.ch

Montagen Vermietung Instandhaltung Expertisen
ASITRON **POTAIN** **HETRONIC**




CE DIN 15018.H1 B3
FEM 1.001-A3



35 m	3 ▶	11,8	12	14	16	18	20	22	24	26	28	30	32	34	35	m
		4000	3940	3230	2730	2350	2060	1830	1630	1480	1350	1230	1130	1040	1000	kg

30 m	3 ▶	12,6	14	16	18	20	22	24	26	28	30	m
		4000	3520	2970	2570	2250	2000	1790	1620	1480	1350	kg

24,5 m	3 ▶	13,4	14	16	18	20	22	24,5	m
		4000	3810	3220	2780	2440	2170	1900	kg



LMQ 1

	Réactions en service Réactions hors service A vide sans lest ni train de transport avec flèche et hauteur maximum	F	Reactions in service Reactions out of service Without load, ballast or transport axles, with maximum jib and maximum height.	GB	Reazioni in servizio Reazioni fuori servizio A vuoto, senza zavorra ne assali di trasporto con braccio massimo e altezza massima	I
	Reaktionskräfte in Betrieb Reaktionskräfte außer Betrieb Ohne Last, Ballast und Transportachse, mit Maximalausleger und Maximalhöhe.	D	Reacciones en servicio Reacciones fuera de servicio Sin carga, sin lastre, ni tren de transporte, flecha y altura máxima.	E	工作状态下的反应 非工作状态下的反应 空载无压重也无运输车有吊臂和最大高度	C


Mécanismes Antriebe	F D	Mechanisms Mecanismos	GB E	Meccanismi 机构	I C
---	---------------------------	---	----------------------------	-------------------------------------	---------------------------

									ch - PS hp	kW
	15 TDPC 10	m/min kg	8 2000	25 2000	50 1000	4 4000	12,5 4000	25 2000	15	11
	3 D2 V4	m/min	22 - 44						4	3
	RCV 22	tr/min U/min rpm	0 → 0,8						3	2,2
	TVD 122	m/min	25						2 x 2	2 x 1,5
CEI 38 IEC 38			kVA							
400 V (+6% -10%) 50 Hz			20 kVA			84/534 - 87/405				

LMQ 1

	Levage Distribution Orientation Translation Conforme aux directives CEE 84/534 et 87/405 sur le niveau acoustique	F	Hoisting Trolleying Slewing Travelling In compliance with the EEC 84/534 and 87/405 Instructions on noise level	GB	Sollevamento Distribuzione Rotazione Traslazione Conforme alle direttive CEE 84/534 e 87/405 sul livello acustico	I
	Heben Katzfahren Schwenken Kranfahren Gemäss EWG-Richtlinien 84/534 und 87/405 für den Schall-Leistungspegel	D	Elevación Distribución Orientación Traslación Conforme con las directivas CEE 84/534 y 87/405 sobre el nivel acustico	E	起升 变幅 回转 行走 符合 CEE 84/534 - CEE 87/405 声响度规定	C

LMQ 1



Transport

Transport

F

Transport

Trasporto

I

Transport


Transporte

D

Transporte

运输

C



LMQ 1



i

Automotrice : Nous consulter

F

Self propelled : Consult us

GB

Automotrice : Consultateci

I

i

Selbstfahrkran : Auf Anfrage

D

Automotriz : Consultarnos

E

请向我方咨询

C

Baumgartner Kran GmbH

Bahnhofstrasse 72

5322 Koblenz

Tel. +41 (0)79 662 21 02

www.baumgartnerkran.ch

info@baumgartnerkran.ch

Montagen Vermietung Instandhaltung Expertisen

REITRON

POTAIN

HETRONIC

POTAIN

GROUP LEGRIS INDUSTRIES

18.Rue de Charbonnières, B.P. 173-F

69132 ECULLY Cedex

Tél. (33)04.72.20.20.20

Fax (33)04.72.20.20.00

http://www.potain.fr

E-mail : mkt@potain.fr

GTMR 331 B

Copyright.Reproduction interdite © POTAIN 1997

Deutschland

POTAIN GmbH

Tel : 06.105.704.0

Italia

POTAIN S.p.A.

Tel : 039.65.631

China

Zhangjiagang POTAIN

Tel : 520. 877.1451

修改权在我方
Modifiche riservate
Modificaciones reservadas
Subject to modification
Änderungen vorbehalten
Modifications réservées
Printed in France
Réalisation SODIPE