

## Servicekort

Maskinnr.: A6000694 AXION 830  
Serviceværksted: 4422 Danish Agro Machinery Ribe - Danmark

### Udstyr:

TJ_B02	0126	CLAAS front linkage 4.6 t
TJ_351	0001	Relevage Av et/ou Cr Ram
TJ_B03	0022	External operation for front linkage and front spool val
TJ_B04	0000	Without linkage-mounted weight block
TJ_350	0000	sans axe ( 1 sur rel )
TJ_B06	0015	Front PTO 1000 rpm (fitted)
TJ_717	0030	Interrupteur N3+FPPTO
TJ_B08	0103	Without electronic position control
TJ_I02	0033	CIS+ control terminal, colour display
TJ_709	0010	Accoudoir N2/N3 + RAV
TJ_713	0020	Switch N3
TJ_810	0002	Obturateur N2-N3 PT Susp.
TJ_I04	0034	24/24-gear HEXASHIFT, HEXACTIV, 2 engine-speed memories
TJ_I08	0200	Alternator 200 amp/hour
TJ_I10	0011	ISOBUS-ready with ISO rear socket
TJ_I18	0000	Without job management
TJ_I22	0050	AUTO PILOT
TJ_I24	0100	RTK NET correction signal
TJ_I25	0011	CLAAS communication module (3G)
TJ_I26	0070	TELEMATICS advanced licence – 1 year
TJ_I28	0030	S10 terminal
TJ_I30	0110	CLAAS navigation controller
TJ_I38	0000	Without camera
TJ_I32	0300	ELECTROPILOT, with right hand reverser
TJ_I40	0000	Standard steering interface
TJ_I29	0110	Activation of RTK licence
TJ_J02	0040	Standard ELC (electronic linkage control)
TJ_J04	0300	Lower links, rear linkage, cat. 3 hook
TJ_J06	0400	Lower link stabilisers, automatic
TJ_443	0001	Supp. Stab GPA41/42/44
TJ_J08	0265	Mechanical top link, cat. 3 hook
TJ_J10	0311	Ladder hitch with slot for drawbar
TJ_J14	0020	Drawbar, cat. 3
TJ_J16	0000	Without clevis
TJ_J18	0040	Ball set, cat. 3/3
TJ_J42	0020	Air brakes (2 lines), with air drier
TJ_430	0001	fr Hyd ou PN ss PAV frein
TJ_J44	0030	Hydraulic brakes for air brakes
TJ_J46	0000	Without ABS connection for trailer
TJ_K02	0150	LS hydraulic system, variable displacement pump 150 l/mi
TJ_K04	2045	4 spool valves, electrohydraulic proportional
TJ_537	0030	Rel.Av&D.EH.Ar ssDEH
TJ_K10	0030	Front linkage & 1x da/front connected at the rear
TJ_541	0040	Distrib. EH ss DEH Avt
TJ_K12	0020	Power Beyond, load-sensing connections without flat face
TJ_N02	0012	Transmission without creeper range
TJ_900	0000	W/o creeper

Servicekort

Maskinnr.: A6000694 AXION 830  
Serviceværksted: 4422 Danish Agro Machinery Ribe - Danmark

TJ_N04	0240	Transmission ratio 40 km/h
TJ_N06	0220	PROACTIV front axle
TJ_811	0001	Double pédale Pont Fixe
TJ_901	0020	FAM & Contacteur
TJ_N08	0026	Quick-release axle, 10-hole rims, external width 2.50 m
TJ_N10	0040	PTO 540 ECO + 1000/1000 ECO rpm
TJ_N14	0010	PTO stub, 6 splines and 21 splines, 1 3/8"
TJ_N20	0010	Parking brake on REVERSHIFT lever
TJ_N22	0361	Front mudguards, pivoting, 620 mm
TJ_N34	0000	Without rear wheel weights
TJ_N38	0010	SMART STOP
TJ_P02	0602	235 hp max. output, 229 hp type-approved rated output, E
TJ_P04	0020	Diesel pre-filter
TJ_P06	0030	Battery master switch, electronic
TJ_P08	0010	Red diesel
TJ_P10	0001	Without cold-start kit
TJ_P12	0000	Without diesel pre-filter, heated
TJ_P14	0010	Exhaust pipe, standard
TJ_P16	0401	Air compressor
TJ_Q02	0010	Cab with 4-point suspension
TJ_Q04	0011	Roof, without roof hatch
TJ_Q06	0010	Rear window
TJ_Q08	0010	Rear window wiper
TJ_Q14	0022	Mechanical mirror
TJ_Q18	0060	Lateral mudguard extensions, rear mudguard, external wid
TJ_Q20	0022	Terminal bar, right-hand side window
TJ_Q21	0070	Tool box
TJ_Q22	0000	Without removable storage box
TJ_Q30	0020	Additional interface sockets
TJ_Q40	0030	2 high-level headlights, A-pillar
TJ_Q50	0020	Wide load lighting
TJ_Q56	0010	4x halogen road lights, 2x halogen work lights, bonnet
TJ_569	0001	Circul. Droite Halo
TJ_571	0001	Halogène + N2/N3
TJ_Q58	0020	Halogen work lights: 4x roof, front and 4x roof, rear
TJ_Q60	0010	Work lights, halogen: 2x front, 2x rear, 2x steps
TJ_631	0001	Plate tail lights CIS
TJ_R00	0000	Colour, CLAAS Green
TJ_R04	0120	Comfort seat, fabric, air-suspension, swivelling
TJ_R02	0200	CIS+
TJ_R06	0020	Passenger seat with safety belt
TJ_R08	0020	Automatic climate control
TJ_R10	0020	MP3 radio, USB and SD
TJ_R14	0010	Cigarette lighter
TJ_R16	0010	Steering wheel, standard
TJ_R20	0000	Without dynamic steering
TJ_S02	0001	Safety sticker, standard
TJ_S04	0010	Right-hand drive
TJ_S06	0021	1x rotating beacon, left
TJ_S08	0001	Equipment - European Union
TJ_S10	0010	Front number plate holder

Servicekort

Maskinnr.: A6000694 AXION 830  
Serviceværksted: 4422 Danish Agro Machinery Ribe - Danmark

TJ_S12	0000	Without wheel chocks
TJ_S14	0000	Without first aid kit
TJ_S16	0000	Without pre-installed fittings for fire-extinguisher
TJ_S20	0000	Without tablet holder
TJ_T02	0010	Truck transport
TJ_102	3920	600/70 R30 standard tyre / fixed rim
TJ_103	7840	650/85 R38 standard tyre / fixed rim
TJ_102_A	3922	650/85 R38 standard tyre / fixed rim
TJ_103_A	7842	650/85 R38 standard tyre / fixed rim
TJ_105	6420	21483470/1542
TJ_505	0001	Tuyau DIR+FR Ret HYD (EU)
TJ_587	0003	Switch N2/N3
TJ_522	0000	Sans Faisceau 522/0010
TJ_621	0011	Sans OSI+GPSready

Servicekort

Maskinnr.: A6000694 AXION 830  
Serviceværksted: 4422 Danish Agro Machinery Ribe - Danmark

**Aggregater:**

<u>Materiale</u>	<u>Betegnelse</u>	<u>Aggregatnummer</u>
FA-NOCODE34	HEXACTIV + MEMO - CODE	Not required
FA-NOCODE87	SMART STOP	Not required
FA-CODE36	LOGIN PIN TELEMATICS	03E6C75C
21898025	SUSPENDED FRONT AXLE	42312201002282
11017700	GIMA-TRANS1542 40	10726185
11017820	GIMA-TRANS1542 40	J197522
11017770	GIMA-TRANS1542 40	J197350
26176900	ENGINE	001616426
12623103	ASSEMBLE CABINE K07 A60-61 HAYON ARR STD	X-50002383-2918026
26095301	CONTROL DESK	A006_Z25006
11265830	AUTO5 DC	A058_1193862
00159331	SOFTWARE	A062_3.3.8
14058553	MODUL TELESERVICE	A064_Z21120
14035720	SOFTWARE	A064_10.6.6
FA-MODUL-A064-0007	IMEI MODUL (TSM)	A064_358142070204811
FA-MODUL-A064-0008	ICCID SIM-CARD (TSM)	A064_89450130190201222596
26057522	ARM REST	A100_Z27047
05378700	SOFTWARE	A100_2.0.1
26070261	DISPLAY	A101_Z28125
11265830	AUTO5 DC	A102_1193861
22437120	WORKING LIGHT PANEL	A104_---
11265830	AUTO5 DC	A136_1194025
11265830	AUTO5 DC	A141_1194177
00000201	WASHER	A141_1.1.63
11265830	AUTO5 DC	A142_1194162
11265830	AUTO5 DC	A143_1193859
00155326	MODULE	A009_Z273034
27505840	ELECTRONICAL HOUSING	A210_0.67.32
27505840	ELECTRONICAL HOUSING	A210_0.67.32