



PK 135.002 TEC 7 H

LIFTING CAPACITY DIAGRAM

Stabilizer situation:
Fully supported


1100033788 / S531-SK-A

Volvo|FH



HPSC

- Stabilizer not active
- Stabilizer active
- %..... Outrigger stroke


Max. occurring stabilizer force F_{max} 419kN (dynamic)
Lifting performance with vehicle unloaded



A: 3.800kg
 B: 5.300kg
 C: 8.800kg




A: 3.800kg
 B: 5.300kg
 C: 8.800kg




○ Stabilizer not active
● Stabilizer active
%..... Outrigger stroke




Max. occurring stabilizer force F_{max} 419kN (dynamic)
Lifting performance with vehicle unloaded




A: 1.020kg
B: 2.200kg
C: 3.900kg





A: 1.020kg
B: 2.200kg
C: 3.900kg



A: 1.020kg
B: 2.200kg
C: 3.900kg




A: 1.020kg
B: 2.200kg
C: 3.900kg




- Stabilizer not active
- Stabilizer active
- %..... Outrigger stroke




Max. occurring stabilizer force F_{max} 419kN (dynamic)




A: 3.800kg
B: 5.300kg
C: 8.800kg





A: 3.800kg
B: 5.300kg
C: 8.800kg



A: 3.800kg
B: 5.300kg
C: 8.800kg




A: 3.800kg
B: 5.300kg
C: 8.800kg




○ Stabilizer not active
● Stabilizer active
%..... Outrigger stroke




Max. occurring stabilizer force F_{max} 419kN (dynamic)




A: 1.020kg
B: 2.200kg
C: 3.900kg



A: 1.020kg
B: 2.200kg
C: 3.900kg



A: 1.020kg
B: 2.200kg
C: 3.900kg



A: 1.020kg
B: 2.200kg
C: 3.900kg

