

Metso

Nordtrack™ mobile solutions

Contracting made more productive



Nordtrack™ I1011 mobile impact crusher


High performance with small footprint

Compact and powerful impactor for contractors and as a rental

The Nordtrack™ I1011 mobile impact crusher combines high crushing capacity and end product accuracy with the large hanging screen (optional). This versatile crusher is suitable to work in different jobsites from rock crushing to construction and demolition waste recycling. The small footprint makes it easy to use in tight places and quick to transport with standard trailer between jobsites. Different blowbar options and crusher settings makes any job available with this machine.

Areas of application:

-  ●●●● Asphalt recycling
-  ●●●● Construction waste crushing
-  ●●●●● Bricks & tiles
-  ●●● Soft rock
-  ●●●● Coal



* Optional, not included in standard delivery



Versatile solution for rental and plant hires



Calibrated and accurate end product



Easy to transport and move on-site



Fuel-efficient direct drive system

Technical details Nordtrack™ I1011

Crusher



Feed opening
1150 x 800 mm
(45 x 32")

Screen*



Hanging screen
3,660 x 1,530 mm
(12' x 5')
Screen angle
25 degrees
Stroke
9 mm

Feeder



Hopper capacity
3.8 m³ (5 yd³)
Options
Multiple grizzly bar and
punch plate aperture
options

Conveyors




Main conveyor
1,200 mm (48") wide
Product conveyor*
1,200 mm (48") wide
Re-circulation conveyor*
500 mm (20") wide
Side conveyor*
600 mm (24") wide

Engine power options



Tier 3 (Stage III A):
CAT C9.3B 280 kW
(375 hp)
Tier 4F:
CAT C9.3B 280 kW
(375 hp)
Stage V:
CAT C9.3B 280 kW
(375 hp)

Transport dimensions**



Weight
41.5 t (91,600 lb)
Width
3 m (9' 11")
Height
3.3 m (10' 11")
Length
15.8 m (51' 10")

* Optional ** with screen module

