

Machine configuration: A3608326

	Key	Description
Homologationtype	3634	3634
machine no.	A3608326	A3608326
machine no.	A3608326	A3608326
	Unit type	Serial number
Gearbox	GBA25	G259316
Cabine	K07	X-50000810-3816038
Motor	6068HRT90A	CD6068R050893
Rearaxle	GPA23	G259507
Frontaxle	451166	45116601000698
Transmission	GTA2523	10258472
Equipment		
TD_102_6289	540/65 R28 Trelleborg TM800 / fixed rim	
TD_102_6289	540/65 R28 Trelleborg TM800 / fixed rim	
TD_103_75Y9	650/65 R38 Trelleborg TM800 / fixed rim	
TD_103_75Y9	650/65 R38 Trelleborg TM800 / fixed rim	
TD_105_2694	2694_21461680/2523	
TD_302_0002	0002_Av Isobus et ss Rel av	
TD_310_0001	0001_Avec axe remorquage	
TD_350_0000	0000_sans entretoise	
TD_420_0000	0000_Sans	
TD_430_0002	0002_avec fr HYD ET sans fr PN	
TD_440_0000	0000_Sans freinage pneumatique	
TD_510_0000	0000_Sans relevage Av	
TD_512_0002	0002_Crochet ram distri E.H	
TD_514_0013	0013_Susp axl 50 w/o autopilot	
TD_520_0001	0001_DeH av ss pré-eq chargeur	
TD_540_0000	0000_Sans ctrl pos Sans Rel av	
TD_550_0000	0000_Sans Reservoir Add	
TD_800_0002	0002_Ailes esc avec 2029 susp	
TD_810_0003	0003_Pont avant susp N4	
TD_B02_0010	Front weight carrier 110 kg	
TD_B04_0000	Without linkage-mounted weight block	
TD_B06_0000	Without front PTO	
TD_B08_0001	Without electronic position control	
TD_B10_0000	Without pre-equipment for front loader	
TD_B12_0010	Transmission side rails	
TD_I02_0040	CEBIS control terminal	
TD_I04_0160	24/24 gear HEXASHIFT with HEXACTIV plus CSM	
TD_I10_0010	ISOBUS-enabled, rear	
TD_I14_0020	Full harness	
TD_I22_0000	Not prepared for AUTO PILOT/GPS PILOT	
TD_I24_0000	Without SAT 900 GNSS receiver	
TD_I26_0000	Without TELEMATICS	
TD_I28_0000	Without terminal	
TD_J02_0040	Standard ELC (electronic linkage control)	

Equipment

TD_J04_0302	Top and lower links with cat. 3 hooks
TD_J06_0200	Lower link stabilisers, mechanical
TD_J08_0132	Mechanical top link, cat. 3 hook
TD_J09_0203	Ball set, cat. 3/2
TD_J10_1012	Pick-up hitch, hydraulic push out
TD_J14_0000	Without drawbar
TD_J16_0000	Without rear clevis
TD_J42_0000	Without air brakes
TD_J44_0020	Hydraulic brakes.
TD_K02_0110	Load-sensing hydraulics 110 l/min
TD_K04_2140	4+2 spool valves, electrohydraulic (CEBIS)
TD_K10_0000	Without front hydraulic outlets
TD_K12_0010	Power Beyond
TD_N02_0012	Transmission without creeper range
TD_N04_0070	Transmission ratio 50 km/h
TD_N06_0510	PROACTIV suspended front axle with multi-disc brakes
TD_N08_0013	Rear axle, standard
TD_N10_0010	PTO 540/1000 rpm
TD_N14_0010	PTO stubs, 21 splines and 6 splines, 1 3/8"
TD_N20_0000	Without parking brake on REVERSHIFT lever
TD_N22_0254	Front mudguards, pivoting, 540 mm
TD_N26_0030	4 wheel spacers for rear axle
TD_N34_0000	Without rear wheel weights
TD_P02_0070	175 hp rated output, 184 hp max. output, ECE R 120
TD_P04_0010	Without diesel pre-filter
TD_P06_0030	Battery master switch, electronic
TD_P08_0030	Winter diesel, down to -38°C
TD_P10_0010	Cold start kit down to -30°C
TD_P18_0030	Fuel tank 285 l
TD_Q02_0010	4-pillar cab with 4-point suspension
TD_Q04_0031	Transparent sunroof
TD_Q06_0010	Rear window
TD_Q08_0010	Rear window wiper
TD_Q14_0042	Wide-angle rear-view mirror, electrically adjustable and heated
TD_Q18_0021	Lateral mudguard extensions to 2.55 m external width (CEBIS)
TD_Q20_0010	Screen mounting rail
TD_Q21_0021	Tool box
TD_Q22_0010	Removable storage box, left
TD_Q30_0020	Additional interface sockets
TD_Q40_0030	2x high-level headlights, A-pillar
TD_Q50_0000	Without fittings for wide load lighting
TD_Q56_0010	4x halogen road lights, 2x halogen work lights, bonnet
TD_Q58_0030	LED work lights – Plus
TD_Q60_0000	Without work lights
TD_R00_0000	Colour, CLAAS Green
TD_R04_0062	Driver's seat, air suspension and swivelling
TD_R06_0020	Passenger seat with safety belt
TD_R08_0010	Air conditioning
TD_R10_0020	MP3 radio, USB and SD

Equipment

TD_R14_0010	Cigarette lighter
TD_S02_0001	Standard sticker
TD_S04_0010	Right-hand drive
TD_S06_0030	2x rotating beacons
TD_S08_0001	Equipment - European Union
TD_T02_0010	Truck transport
A36/400	ARION 650 T3b