

Maskintyp: H-11D ROTTNE H-11D ENGREPPSSKÖRDARE
Tillv.nr: R56820
Återförsäljare: 70125 SKOGTEKNIKK A/S Återf.adress: NITTEBERGVN. 36
NO-2022 GJERDRUM
Slutkund: TSF SKOGSAVVIRKNING AS Kund adress: SNOTERUDVEIEN 100
GEITHUS 3360
Distributör: 71007 ROTTNE INDUSTRI AB
Leveransdatum: 19-08-19
Fakturadatum: 19-08-19

KOMPONENTER

<u>Beskrivning</u>	<u>Art.nr</u>	<u>Benämning</u>
<u>Serienummer</u>	<u>Model typ</u>	
MOTOR		
Motor, diesel		
CD6068U086345	6068HFC08	
Glykol	900-5038	GLYKOL, Q8 LONG LIFE
TRANSMISSION		
Pump, transmission	121-0002	PUMP A4VG 110
15486903		
Motor, transmission	121-0022	MOTOR (HYDROSTAT) A6VM 170
91666795		
Fördelningsväxellåda	121-0005	FÖRDELNINGSVÄXELLÅDA B096
256 2019	BOE 96/1	
Boggi, dragare	900-2812	BALANSERAD BOGGI, FRAM H11
165 2019	BOE 95/2	
Boggi, vagn	900-2813	BALANSERAD BOGGI, BAK H11 8WD
158 2019	BOE 95/2	
Däck, motordel	900-4315	HJUL 710/40X24,5 FK/20 F2 F11#
Transmissionsolja	Q8 T1000 10W-30	
HYDRAULSYSTEM		
Arbetshydraulik, pump I	122-0026	PUMP A11V O210
35846262		
Riktningsventil, kran	122-0021	RIKTN.VENTIL L90LS-03-13662
1923-3361445-001		
Riktningsventil, basmaskin	122-0027	RIKTN.VENTIL L90LS-03-14146
1919-3246990-002		
Riktningsventil, boggi, hö,krandel	119-0003	VENTILBLOCK KPL.
1921-3281941-009		
Riktningsventil, boggi, vå, krandel	119-0003	VENTILBLOCK KPL.
1921-3281941-008		
Hydraulolja	900-5035	HYDRAULOLJA, HINDEMITH 32-68
ELSYSTEM		
d5MC	098-0133	CENTRALENHET D5MC-F 1503-00 D5
3690		
dOP40D, Display	123-0015	DISPLAYENHET DOP40D
888		

Maskintyp: H-11D ROTTNE H-11D ENGREPPSSKÖRDARE
 Tillv.nr: R56820

KOMPONENTER

<u>Beskrivning</u>	<u>Art.nr</u>	<u>Benämning</u>
<u>Serienummer</u>	<u>Model typ</u>	
Centrallås	136-71036	MOTTAGARE CENTRALLÅS X564
60ST 6R8X		
Modem, Switch, GPS, Telematic	136-0005	HUVUDENHET DCGW + ANTENN TELEM
481		
Box (IN-OUT) Telematic	136-0006	BOX (IN-OUT) DTEM TELEMATIC
184		
HYTT		
Hytt		
19-20	9910	
Klimataggregat	062-0387	KLIMATAGGREGAT KPL. 24V ECC
553		
Stol	976-0138	STOLPKT BEGE DPS 3100 AIRV.24V
KRAN		
Kran	900-2849	KRAN RC185 M.ENKELTELE(10,1) #
X19475	RC185ET	
Rotator	900-2827	ROTATOR H182 M.DUBBELSVÄNGDÄMP
1908816		
AGGREGAT		
Upparbetningsaggregat	978-0039	AGGREGAT EGS-596 #
10-05		
Sågmotor	101-0100	HYDRAULMOTOR QXM42-020L-HS-
Q18165868		
Sågenhet	976-0139	SÅG, SUPERCUT (EGS595)
035-19545		
Hydraulmotor sågmotorsida	110-0034	HJULMOTOR POCLAIN MS05
Z1X3440224003		
Hydraulmotor ej sågmotorsida	110-0034	HJULMOTOR POCLAIN MS05
Z1X3440224004		
Hydraulmotor Danfoss sågsida	110-0001	HYDRAULMOTOR TMT 315
N83951804		
Hydraulmotor Danfoss ej sågsida	110-0001	HYDRAULMOTOR TMT 315
N83951803		
Riktningsventil	110-0035	RIKTN.VENTIL L90LS-07-13853-1
1921-3337424-002		
MÄTSYSTEM		
dOP40C, Datorenhet	123-0061	DATORENHET DOP40C V2
123		
dSC40, Styrenhet	123-0056	STYRENHET DSC40, M12
920		
Spakpanel höger Excidor	123-0010	SPAKPANEL KPL. HÖGER H11
6961		
Spakpanel vänster Excidor	123-0001	SPAKPANEL KPL. VÄNSTER H11
6888		
ÖVRIGT		
Dataklave	925-1191	SKÖRDARPAKET DP11 ROTTNE 1

Maskintyp: H-11D ROTTNE H-11D ENGREPPSSKÖRDARE
Tillv.nr: R56820

KOMPONENTER

<u>Beskrivning</u>	<u>Art.nr</u>	<u>Benämning</u>
<u>Serienummer</u>	<u>Model typ</u>	
Motorvärmare 1C1917004391	991-3377	WEBASTO VÄRM THERMO PRO 90 24V
Brandbekämpning, släckartub 151515	BRANDBEKÄMPNING, SLÄCKARTUB	
Brandbekämpning, detektortub 214765	BRANDBEKÄMPNING, DETEKTORTUB	
Typ av Brandbekämpning		
	FOGMAKER	
Övrigt 1	900-2811	8-HJULSDRIVEN (8WD)
Övrigt 2	900-2814	BOGGILYFT, FRAM H11
Övrigt 3	900-2841	VÅTSKEFYLLDA HJUL (4ST) H11
Övrigt 4	900-2855	ARBETSBELYSNING LED (18 ST)
Övrigt 5	900-2729	ROTTNE CONNECT INST. + FJÄRRÅ
Övrigt 6	900-2866	EXTRA SKYDD FÖR KYLARE (BAK) H11
Övrigt 7	900-2834	SOLSKYDDSGARDINER H8/H11/H21
Övrigt 8	900-2878	EXTRA ARBETSBELYS. HYTT TAK 4
Övrigt 9	900-2879	EXTRA LJUSRAMP LED X 2, UNDER
Övrigt 10	900-2835	VAKUUMPUMP ARB. HYDRAULIK H11
Övrigt 11	900-2837	FÄRGMÄRKNINGSUTRUSTNING H11
Övrigt 12	900-2724	GEOINFO PROGRAMVARA INSTALL.

Maskintyp: H-11D ROTTNE H-11D ENGREPPSSKÖRDARE
Tillv.nr: R56820

KOMPONENTER

<u>Beskrivning</u>	<u>Art.nr</u>	<u>Benämning</u>
<u>Serienummer</u>	<u>Model typ</u>	
136-0021	FJÄRRKONTROLL EXTRA (CENTRALLÅ	1,00
900-2839	KOMPRESSORSATS ELEKTRISK H11	1,00
900-2840	CENTRALSMÖRJNING LINCOLN H11	1,00
900-2843	EXTRA ARBETSBELYSNING KRAN H11	1,00
900-2854	EXTRA ARBETSBELYS. KRANFOT H11	1,00
900-2875	GÅNGRAMP (BAKRE BOGGI) H11	1,00
900-4266	DÄCKTRYCKSÖVERVAKNING	1,00

Search Results for CD6068U086345 :

Serial Number	Base Code	Model	Material	Manufactured Date	Parts Catalog No.
CD6068U086345	173AF	6068HFC08	6068HFC08	2018-11-16	<u>PC12184</u>

Rating	EPA Family	EUR Family	Emissions Label Part No.	EPA Certificate	CARB Certificate
6068HFC08-J	JJDXL06.8309	JJDXL06.8309	R564163	<u>JJDXL06.8309-014</u>	<u>U-R-004-0550</u>

ATD Type	Part Number	Serial Number
DOC	DZ105773	REXD243000210
DPF	DZ104595	REXF243000216
SCR	DZ105777	REXR241000200

Option Name	Ordered	Factory	Distributor
ROCKER ARM COVER, NO OIL FILL, W/O JOHN DEERE NAMEPLATE	1174	<u>1174</u>	*
OIL FILLER, NONE	1296	<u>1296</u>	*
CRANKSHAFT PULLEY, 188MM (7.47 IN.) DIAMETER, W/STANDARD DUTY ELASTOMERIC SINGLE DAMPER	1321	<u>1321</u>	*
FLYWHEEL HOUSING, SAE 2M, LH 3 BOLT TYPE 1 STARTER MOUNT	1407	<u>1407</u>	*
FLYWHEEL, SAE 3, 292.1 MM (11.5 IN.) OVER CENTER CLUTCH, 129 TOOTH 8/10 PITCH RING GEAR	1503	<u>1503</u>	*
INJECTION PUMP, HP6 HIGH PRESSURE COMMON RAIL (HPCR)	16FM	<u>16FM</u>	*
AIR INLET, 90 DEGREE FORWARD INLET	17DN	<u>17DN</u>	*
NO AIR CLEANER	1899	*	*
OIL PAN, 19L, CENTER SUMP, ALUMINUM, OFF-LEVEL CAPABILITY: 35 DEGREE INTERMITTENT, 30 DEGREE CONTINUOUS, W/OIL RETURN PORTS	19BZ	<u>19BZ</u>	*
COOLANT PUMP AND PULLEY, AUXILIARY DRIVE COMPATIBLE, 83.6MM (3.3 IN.) DIAMETER PULLEY	2050	<u>2050</u>	*
THERMOSTAT COVER, LEFT ORIENTATION, FOR (2) THERMOSTATS	21AE	<u>21AE</u>	*
THERMOSTAT, TWO (2)	2221	<u>2221</u>	*
FAN DRIVE, NONE, FOR CUSTOMER INSTALLED HYDRAULIC FAN DRIVE	2399	<u>2399</u>	*
FAN BELT, NO FAN DRIVE (CUSTOMER INSTALLED HYDRAULIC FAN DRIVE) ACCESSORY BELT DRIVE ONLY, NO FAN DRIVE, W/ AIR CONDITIONING, 2060 MM (81.1 IN.) BELT LENGTH, FOR CUSTOMER INSTALLED FAN DRIVE	24LU	<u>24LU</u>	*
FAN ASSEMBLY, NONE	2599	<u>2599</u>	*
BLOCK HEATER, NONE	2699	<u>2699</u>	*
NO RADIATOR	2799	*	*
EXHAUST MANIFOLD WITH SLIDING ELEMENT	28DQ	<u>28DQ</u>	*
CRANKCASE VENTILATION SYSTEM, OPEN CRANKCASE VENT (OCV), ENGINE MOUNTED - RIGHT SIDE FRONT	29EU	<u>29EU</u>	<u>2975*</u>
STARTER, 24V, 7.8 KW (10.4 HP), DENSO, LH, 3-BOLT TYPE 1 MOUNT, W/GROUND STUD, SEALED	30AU	<u>30AU</u>	*
ALTERNATOR, 24V, 150 AMP, BOSCH	31AG	<u>31AG</u>	*

Option Name	Ordered	Factory	Distributor
DEF HEATED LINES (2), SUCTION & RETURN, SUPPLY MODULE TO DEF TANK, 1500 MM (59.06 IN.), 24V, 90 DEGREE FITTING (SM), STRAIGHT FITTING (DEF TANK), SUPPLY MODULE, DOSING MODULE,	3318	<u>3318</u>	*
DEF TANK HEADER WITH QUALITY SENSOR 24V 700 MM	3428	<u>3428</u>	*
FUEL FILTER, SINGLE MOUNTING BRACKET, INTEGRATED 24V ELECTRIC TRANSFER PUMP, 2 MICRON FINAL, 10 MICRON PRIMARY FILTER, ENGINE MOUNTED RIGHT SIDE REAR	35E7	<u>35E7</u>	*
FRONT PLATE, AUXILIARY DRIVE	3638	<u>3638</u>	*
FUEL TRANSFER PUMP, NO MECHANICAL FUEL TRANSFER PUMP	3798	<u>3798</u>	*
OPERATOR'S MANUAL (ENGLISH)	3812	<u>3812</u>	*
THERMOSTAT HOUSING, TWO (2) THERMOSTATS, (1) SENSOR PORT	3949	<u>3949</u>	*
DIPSTICK, INTEGRATED OIL FILL & DIPSTICK, LEFT SIDE SERVICE	4075	<u>4075</u>	*
ADD ON CRANK PULLEY, NONE	4199	<u>4199</u>	*
DEF HEATED LINE , PRESSURE LINE TO DECOMP INJECTOR, 24V, 3000 MM (118.11 IN.), 90 DEGREE FITTING (SM), STRAIGHT FITTING (INJECTOR)	4210	<u>4210</u>	*
STARTING AID, GLOWPLUGS, 24V	4349	<u>4349</u>	*
TIMING GEAR COVER: WITH-AUX DRIVE	44BE	<u>44BE</u>	*
CYLINDER BLOCK, 6CYL, NO TOP LINER	46CD	<u>46CD</u>	*
CRANKSHAFT AND BEARINGS.	4732	<u>4732</u>	*
CONNECTING RODS & PISTONS, PISTONS WITH INTEGRATED OIL GALLERY, ALUMINUM, SINGLE TURBO CONFIGURATION	4865	<u>4865</u>	*
VALVE ACTUATION (DUCTILE IRON CAMSHAFT)	4943	<u>4943</u>	*
OIL PUMP	5034	<u>5034</u>	*
CYLINDER HEAD WITH VALVES, 4-VALVE, SINGLE TURBO CONFIGURATION	5148	<u>5148</u>	*
GEAR-DRIVEN AUXILIARY DRIVE ADAPTER, SAE A FLANGE, 9 TEETH SPLINE	5239	<u>5239</u>	*
FUEL HEATER, NONE	5399	<u>5399</u>	*
AIR INTAKE HOSE, TURBOCHARGER, 90 DEGREE HOSE	5412	<u>5412</u>	*
ENGINE TRANSPORT SKID, 6 CYL, WITH ADAPTER, FOR SINGLE ENGINE.	55BX	<u>55BX</u>	*
PAINT, INDUSTRIAL YELLOW (FINISH COAT)	5603	<u>5603</u>	*
WATER PUMP INLET, DOWNWARD ORIENTATION W/M30 AND M18 O-RING PORT	5734	<u>5734</u>	*
OIL COOLER AND FILTER, RIGHT SIDE ENGINE MOUNTED OIL COOLER AND FILTER	5970	<u>5970</u>	*
BELT DRIVEN AUX FAN PULLEY, NONE	6099	<u>6099</u>	*
EXHAUST FILTER, SIZE 4, UNPAINTED, 90 DEG INLET, 90 DEG OUTLET, GEN 1.5	61GM	<u>61GM</u>	*
ALTERNATOR MOUNTING, NO COMPONENTS REQUIRED	6297	<u>6297</u>	*
LOW PRESSURE FUEL LINES, NONE (INCLUDED WITH 3500 OPTION CODE)	6399	<u>6399</u>	*
EXHAUST ELBOW, NONE	6499	<u>6499</u>	*

Option Name	Ordered	Factory	Distributor
TURBOCHARGER, SINGLE VGT, 24V, LOW PROFILE ACTUATOR, REAR EXHAUST W/ SLIDING ELEMENT BRACKET	652V	<u>652V</u>	*
NO TEMPERATURE SWITCH	6699	*	*
BASE ENGINE SENSORS, SINGLE TURBO	6757	<u>6757</u>	*
ENGINE DAMPER, NONE, (EMPTY OPTION - VISCOUS DAMPER IS INTEGRATED W/ WITH CRANK PULLEY IN 1300 OPTION GROUP)	6895	<u>6895</u>	*
ENGINE SERIAL NUMBER PLATE, STANDARD	6901	<u>6901</u>	*
DECOMP TUBE ASSY, 127 MM (5 IN.), STRAIGHT, FULL MARMON FLANGES	7009	<u>7009</u>	*
SCR CATALYST, SIZE 4, UNPAINTED, 90 DEG INLET, STRAIGHT OUTLET, GEN 1.5	7110	<u>7110</u>	*
EXHAUST FILTER HYDROCARBON DOSING SYSTEM, IN-CYLINDER, NO EXTERNAL COMPONENTS	7399	<u>7399</u>	*
AIR CONDITIONING, 24V, DENSO, FOR NO FAN DRIVE.	7446	<u>7446</u>	*
OIL PRESSURE SWITCH, NONE	7699	<u>7699</u>	*
GEAR DRIVEN AIR COMPRESSOR, NONE	7899	<u>7899</u>	*
ENGINE SOFTWARE, 149KW@2000,10% PB, 35% TR,24V.	7A3H	<u>7A3H</u>	*
PRIMARY FUEL FILTER, ENGINE MOUNTED ON RIGHT SIDE W/FINAL FILTER, INCLUDED IN FINAL FUEL FILTER OPTION (3500 GROUP)	8199	<u>8199</u>	*
VEHICLE PERF SOFTWARE, 149KW@2400-149KW@2000, 500 HOUR SERVICE.	83A5	<u>83A5</u>	*
WIRING HARNESS, ENGINE MOUNTED ECU, LEFT SIDE, 12V/24V, HARNESS BETWEEN ENGINE SENSORS, ECU AND HARDWARE, FACTORY INSTALLED, SINGLE VGT	84KE	<u>84KE</u>	*
FAN PULLEY, NONE	8699	<u>8699</u>	*
FAN BELT TENSIONER, AUTO	8735	<u>8735</u>	*
NO OIL FILTER,	8899	*	*
EXHAUST GAS RECIRCULATION SYSTEM	8932	<u>8932</u>	*
TRIM SOFTWARE, STANDARD, INDUSTRIAL, 138-187 KW, 2000 RPM, ATD 4.	902X	<u>902X</u>	*
FITTINGS, DPF DELTA PRESSURE HOSE BARB, 90 DEGREE	91BR	<u>91BR</u>	*
ENGINE TEST CERTIFICATE	9201	<u>9201</u>	*
EMISSION LABEL: 138-187KW@2400-2200-2000 RPM	93MU	<u>93MU</u>	*
SOFTWARE TRIM TEMPLATE, NONE	9499	<u>9499</u>	*
MISCELLANEOUS SPECIALTY LABEL (MSHA), NONE	9599	<u>9599</u>	*
LIFT STRAP WITH SLIDING ELEMENT	9898	<u>9898</u>	*
Description Not Available	EM99	*	*